



Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

UniBond Triple Protect Grout Pen White

SDS No. : 501604
V002.0

Revision: 27.05.2015

printing date: 28.05.2015

Replaces version from: 03.03.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

UniBond Triple Protect Grout Pen White

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Joint colour

1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000

Fax-no.: +44 (1442) 278071

ua-productsafety.uk@uk.henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains Isothiazolinone mixture 3:1. May produce an allergic reaction.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P262 Do not get in eyes, on skin, or on clothing.

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General chemical description:**

Tile adhesive

Base substances of preparation:

Surfactant

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. | EC Number REACH-Reg No. | content | Classification |
|---|-------------------------------|---------------|---|
| 1-Methoxy -2-propanol 107-98-2 | 203-539-1 01-2119457435-35 | 2,5- < 15 % | Flam. Liq. 3 H226 STOT SE 3 H336 |
| Isothiazolinone mixture 3:1 55965-84-9 | | 1,5- < 15 PPM | Acute Tox. 3; Inhalation H331 Acute Tox. 3; Dermal H311 Acute Tox. 3; Oral H301 Skin Corr. 1B H314 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 |

For full text of the H - statements and other abbreviations see section 16 "Other information".
Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information:**

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO₂) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

7.2. Conditions for safe storage, including any incompatibilities

Ensure good ventilation/extraction.

Keep only in original container.

Temperatures between + 5 °C and + 25 °C

Keep away from heat and direct sunlight.

Keep container tightly sealed.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Joint colour

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for
Great Britain

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|--|-----|-------------------|-----------------------------------|--|-----------------|
| Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL, PARTICULATES] | | 10 | Time Weighted Average (TWA): | | EH40 WEL |
| Propane-1,2-diol 57-55-6 [PROPANE-1,2-DIOL, TOTAL VAPOUR AND PARTICULATES] | 150 | 474 | Time Weighted Average (TWA): | | EH40 WEL |
| 1-Methoxypropan-2-ol 107-98-2 [1-METHOXYPROPAN-2-OL] | 150 | 560 | Short Term Exposure Limit (STEL): | | EH40 WEL |
| 1-Methoxypropan-2-ol 107-98-2 [1-METHOXYPROPAN-2-OL] | | | Skin designation: | Can be absorbed through the skin. | EH40 WEL |
| 1-Methoxypropan-2-ol 107-98-2 [1-METHOXYPROPAN-2-OL] | 100 | 375 | Time Weighted Average (TWA): | | EH40 WEL |
| 1-Methoxypropan-2-ol 107-98-2 [1-METHOXYPROPANOL-2] | 100 | 375 | Time Weighted Average (TWA): | Indicative | ECLTV |
| 1-Methoxypropan-2-ol 107-98-2 [1-METHOXYPROPANOL-2] | 150 | 568 | Short Term Exposure Limit (STEL): | Indicative | ECLTV |

Predicted No-Effect Concentration (PNEC):

| Name on list | Environmental Compartment | Exposure period | Value | | | | Remarks |
|-----------------------------------|------------------------------|-----------------|-------|-----|------------|----------|---------|
| | | | mg/l | ppm | mg/kg | others | |
| 1-Methoxy -2-propanol 107-98-2 | aqua (freshwater) | | | | | 10 mg/L | |
| 1-Methoxy -2-propanol 107-98-2 | aqua (marine water) | | | | | 1 mg/L | |
| 1-Methoxy -2-propanol 107-98-2 | aqua (intermittent releases) | | | | | 100 mg/L | |
| 1-Methoxy -2-propanol 107-98-2 | sediment (freshwater) | | | | 52,3 mg/kg | | |
| 1-Methoxy -2-propanol 107-98-2 | sediment (marine water) | | | | 5,2 mg/kg | | |
| 1-Methoxy -2-propanol 107-98-2 | soil | | | | 5,49 mg/kg | | |
| 1-Methoxy -2-propanol 107-98-2 | STP | | | | | 100 mg/L | |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|-----------------------------------|--------------------|-------------------|---|---------------|-------------------|---------|
| 1-Methoxy -2-propanol 107-98-2 | Workers | Inhalation | Acute/short term exposure - local effects | | 553,5 mg/m3 | |
| 1-Methoxy -2-propanol 107-98-2 | Workers | Dermal | Long term exposure - systemic effects | | 50,6 mg/kg bw/day | |
| 1-Methoxy -2-propanol 107-98-2 | Workers | Inhalation | Long term exposure - systemic effects | | 369 mg/m3 | |
| 1-Methoxy -2-propanol 107-98-2 | general population | Dermal | Long term exposure - systemic effects | | 18,1 mg/kg bw/day | |
| 1-Methoxy -2-propanol 107-98-2 | general population | Inhalation | Long term exposure - systemic effects | | 43,9 mg/m3 | |
| 1-Methoxy -2-propanol 107-98-2 | general population | oral | Long term exposure - systemic effects | | 3,3 mg/kg bw/day | |

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Combination filter: ABEKP

This recommendation should be matched to local conditions.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s).Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|---------------------------------|---------------------------------------|
| Appearance | liquid viscous white |
| Odor | typical |
| Odour threshold | No data available / Not applicable |
| pH | No data available / Not applicable |
| Initial boiling point | No data available / Not applicable |
| Flash point | > 93 °C (> 199.4 °F); Supplier method |
| Decomposition temperature | No data available / Not applicable |
| Vapour pressure | No data available / Not applicable |
| Density | No data available / Not applicable |
| Bulk density | No data available / Not applicable |
| Viscosity | No data available / Not applicable |
| Viscosity (kinematic) | No data available / Not applicable |
| Explosive properties | No data available / Not applicable |
| Solubility (qualitative) | Miscible |
| (20 °C (68 °F); Solvent: Water) | |

| | |
|--|------------------------------------|
| Solidification temperature | No data available / Not applicable |
| Melting point | No data available / Not applicable |
| Flammability | No data available / Not applicable |
| Auto-ignition temperature | No data available / Not applicable |
| Explosive limits | No data available / Not applicable |
| Partition coefficient: n-octanol/water | No data available / Not applicable |
| Evaporation rate | No data available / Not applicable |
| Vapor density | No data available / Not applicable |
| Oxidising properties | No data available / Not applicable |

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

See section reactivity

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

Acute oral toxicity:

| Hazardous components CAS-No. | Value type | Value | Route of application | Exposure time | Species | Method |
|--|---------------|-------------|-------------------------|------------------|---------|-----------|
| 1-Methoxy -2-propanol 107-98-2 | LD50 | 5.900 mg/kg | oral | | rat | BASF Test |
| Isothiazolinone mixture 3:1 55965-84-9 | LD50 | 53 mg/kg | oral | | rat | |

Acute inhalative toxicity:

| Hazardous components CAS-No. | Value type | Value | Route of application | Exposure time | Species | Method |
|-----------------------------------|---------------|-----------|-------------------------|------------------|---------|--------|
| 1-Methoxy -2-propanol 107-98-2 | LC50 | 54,6 mg/l | | 4 h | rat | |

Acute dermal toxicity:

| Hazardous components CAS-No. | Value type | Value | Route of application | Exposure time | Species | Method |
|-----------------------------------|---------------|--------------|-------------------------|------------------|---------|--------|
| 1-Methoxy -2-propanol 107-98-2 | LD50 | 13.000 mg/kg | dermal | | rabbit | |

Skin corrosion/irritation:

| Hazardous components CAS-No. | Result | Exposure time | Species | Method |
|-----------------------------------|----------------|------------------|---------|--------|
| 1-Methoxy -2-propanol 107-98-2 | not irritating | | rabbit | |

Serious eye damage/irritation:

| Hazardous components CAS-No. | Result | Exposure time | Species | Method |
|-----------------------------------|---------------------|------------------|---------|--------|
| 1-Methoxy -2-propanol 107-98-2 | slightly irritating | | rabbit | |

Germ cell mutagenicity:

| Hazardous components CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|-----------------------------------|----------|--|--|---------|---|
| 1-Methoxy -2-propanol 107-98-2 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |

Repeated dose toxicity

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Method |
|-----------------------------------|----------------|-------------------------|--|---------|---|
| 1-Methoxy -2-propanol 107-98-2 | NOAEL=1000 ppm | inhalation | 13 weeks 6 hours/day; 5 days/week | rat | OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day) |
| 1-Methoxy -2-propanol 107-98-2 | LOAEL=3000 ppm | inhalation | 13 weeks 6 hours/day; 5 days/week | rat | OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day) |

SECTION 12: Ecological information**General ecological information:**

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

12.1. Toxicity

| Hazardous components CAS-No. | Value type | Value | Acute Toxicity Study | Exposure time | Species | Method |
|--|------------|--------------|----------------------|---------------|--|--|
| 1-Methoxy -2-propanol 107-98-2 | LC50 | 20.800 mg/l | Fish | 96 h | Pimephales promelas | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| 1-Methoxy -2-propanol 107-98-2 | EC50 | 23.300 mg/l | Daphnia | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| 1-Methoxy -2-propanol 107-98-2 | EC50 | > 1.000 mg/l | Algae | 7 d | Selenastrum capricornutum (new name: Pseudokirchnerella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Isothiazolinone mixture 3:1 55965-84-9 | LC50 | 0,22 mg/l | Fish | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| | NOEC | 0,098 mg/l | Fish | 28 d | Oncorhynchus mykiss | OECD 210 (fish early lite stage toxicity test) |
| Isothiazolinone mixture 3:1 55965-84-9 | EC50 | 0,048 mg/l | Algae | 72 h | Pseudokirchnerella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| | NOEC | 0,0012 mg/l | Algae | 72 h | Pseudokirchnerella subcapitata | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Isothiazolinone mixture 3:1 55965-84-9 | NOEC | 0,0036 mg/l | chronic Daphnia | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

12.2. Persistence and degradability

| Hazardous components CAS-No. | Result | Route of application | Degradability | Method |
|--|-----------------------|----------------------|---------------|---|
| 1-Methoxy -2-propanol 107-98-2 | readily biodegradable | aerobic | 90 % | OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test) |
| Isothiazolinone mixture 3:1 55965-84-9 | readily biodegradable | | > 60 % | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |

12.3. Bioaccumulative potential / 12.4. Mobility in soil

| Hazardous components CAS-No. | LogKow | Bioconcentration factor (BCF) | Exposure time | Species | Temperature | Method |
|--|--------------|-------------------------------|---------------|---------|-------------|---|
| 1-Methoxy -2-propanol 107-98-2 | -0,49 | | | | | |
| Isothiazolinone mixture 3:1 55965-84-9 | -0,71 - 0,75 | | | | 20 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |

12.5. Results of PBT and vPvB assessment

| Hazardous components CAS-No. | PBT/vPvB |
|--|---|
| 1-Methoxy -2-propanol 107-98-2 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Isothiazolinone mixture 3:1 55965-84-9 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product disposal:
Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:
Use packages for recycling only when totally empty.

Waste code
08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

SECTION 14: Transport information

- 14.1. UN number**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packaging group**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content 10,00 %
(VOCV 814.018 VOC regulation
CH)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

- H226 Flammable liquid and vapor.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Additional labeling:

Safety data sheet available for professional user on request.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.