SAFETY DATA SHEET



Cleaner F5 Express 280ml

1. Identification of the preparation and of the company

Product name : Cleaner F5 Express 280ml

Code : 58230

Head Office : Cookson Electronics Manufacturer : Cookson Electronics

Forsyth Road
Sheerwater
Woking
Surrey
England
GU21 5RZ
Forsyth Road
Sheerwater
Woking
Survey
England
GU21 5RZ
Forsyth Road
Sheerwater
Woking
Surrey
England
GU21 5RZ

Tel: +44(0)1483 758400 Tel: +44(0)1483 758400 Fax: +44(0)1483 728837

Contact person: shosken@cooksonelectronics.com

Material uses : Water treatment agent.

2 Hazards identification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

Effects and symptoms

:

Skin contact
 Slightly hazardous by the following route of exposure: of skin contact (irritant).
 Eye contact
 Slightly hazardous by the following route of exposure: of eye contact (irritant).

Toxicity data : Not available.

Additional warning phrases : Safety data sheet available for professional user on request.

See section 11 for more detailed information on health effects and symptoms.

3 Composition/information on ingredients

Substance/preparation: Preparation

Ingredient name	CAS number	%	EC number	Classification
Europe				
benzotriazole	95-14-7	1 - 5	202-394-1	Xn; R22 Xi; R36 R52/53
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients

Date of issue : 23/09/2010. 1/7

Powered by

4. First-aid measures

First-aid measures

Inhalation

: Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. The exposed person may need to be kept under medical surveillance for 48 hours.

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

Skin contact

: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Protection of first-aiders

Notes to physician

- : No action shall be taken involving any personal risk or without suitable training.
- : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
phosphorus oxides
halogenated compounds
metal oxide/oxides

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

Environmental precautions

: Put on appropriate personal protective equipment (see section 8).

: Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill : Dilute with plenty of water.

Date of issue : 23/09/2010. 2/7



7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Empty containers retain product residue and can be hazardous.

Storage

: Store in accordance with local regulations. Store in original container, protected from direct sunlight. Use appropriate containment to avoid environmental contamination.

Packaging materials

Recommended: Use original container.

Czech Republic - Storage

code

8. Exposure controls/personal protection

: 111

Exposure limit values

Ingredient name

_

Europe

No exposure limit value known.

Sweden

No exposure limit value known.

Denmark

No exposure limit value known.

Norway

propane-1,2-diol

Arbeidstilsynet (Norway, 11/2007).

Occupational exposure limits

TWA: 79 mg/m³ 8 hour(s). TWA: 25 ppm 8 hour(s).

France

No exposure limit value known.

Netherlands

No exposure limit value known.

Germany

No exposure limit value known.

Finland

No exposure limit value known.

United Kingdom (UK)

propane-1,2-diol

EH40/2005 WELs (United Kingdom (UK), 8/2007).

TWA: 10 mg/m³ 8 hour(s). Form: Particulate

TWA: 474 mg/m³ 8 hour(s). Form: Sum of vapour and particulates TWA: 150 ppm 8 hour(s). Form: Sum of vapour and particulates

Austria

No exposure limit value known.

Switzerland

No exposure limit value known.

Belgium

No exposure limit value known.

Spain

No exposure limit value known.

Turkey

No exposure limit value known.

Czech Republic

No exposure limit value known.

Date of issue : 23/09/2010. 3/7

Powered by ATRIOT

8. Exposure controls/personal protection

Ireland

propane-1,2-diol NAOSH (Ireland, 8/2007).

OELV-8hr: 10 mg/m³ 8 hour(s). Form: particulate

OELV-8hr: 470 mg/m³ 8 hour(s). Form: vapour and particulates OELV-8hr: 150 ppm 8 hour(s). Form: vapour and particulates

Italy

No exposure limit value known.

Estonia

No exposure limit value known.

Lithuania

propane-1,2-diol Del Lietuvos Higienos Normos (Lithuania, 10/2007).

TWA: 7 mg/m³ 8 hour(s).

sodium chloride Del Lietuvos Higienos Normos (Lithuania, 10/2007).

TWA: 5 mg/m³ 8 hour(s).

Slovakia

No exposure limit value known.

Hungary

No exposure limit value known.

Poland

No exposure limit value known.

Slovenia

No exposure limit value known.

Latvia

propane-1,2-diol LV Nat. Standardisation and Meterological Centre (Latvia,

5/2007).

TWA: 7 mg/m³ 8 hour(s).

sodium chloride LV Nat. Standardisation and Meterological Centre (Latvia,

5/2007).

TWA: 5 mg/m³ 8 hour(s).

benzotriazole LV Nat. Standardisation and Meterological Centre (Latvia,

5/2007).

TWA: 5 mg/m³ 8 hour(s).

Greece

No exposure limit value known.

Portugal

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Exposure controls

Occupational exposure controls

: Use only with adequate ventilation.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Respiratory protection

: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: None assigned.

Date of issue : 23/09/2010. 4/7

Powered by ATRIOT

8. Exposure controls/personal protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should

be worn at all times when handling chemical products if a risk assessment indicates

this is necessary. <1 hours (breakthrough time): disposable vinyl

Eye protection : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

dusts. Recommended: safety glasses with side-shields EN 166 1F

Skin protection : Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before

handling this product. Recommended: None assigned.

Environmental exposure

controls

: None identified.

9. Physical and chemical properties

General information

Appearance

Physical state : Liquid.

Colour : Amber.

Odour : Faint odour.

Important health, safety and environmental information

Relative density : 1.235

Solubility : Easily soluble in the following materials: cold water and hot water.

VOC content : 0 % (w/w) [ISO % 11890-2]

10. Stability and reactivity

Stability: The product is stable.

Conditions to avoid : No specific data.

Materials to avoid : No specific data.

waterials to avoid . No specific dat

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11. Toxicological information

Potential acute health effects

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects

may be delayed following exposure.

Ingestion : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Eye contact : No known significant effects or critical hazards.

Acute toxicity

Over-exposure signs/symptoms

Target organs : Contains material which may cause damage to the following organs: skin, eyes,

stomach.

Date of issue : 23/09/2010. 5/7



Ecological information

Aquatic ecotoxicity

Biodegradability

Other adverse effects

AOX

- No known significant effects or critical hazards.
- The product does not contain organically bound halogens which could lead to an AOX value in waste water.

13. Disposal considerations

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

16 03 06 organic wastes other than those mentioned in 16 03 05

Hazardous waste

Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Transport information

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	2.2	III	2	Passenger and Cargo Aircraft Quantity limitation: 75 kg Cargo Aircraft Only Quantity limitation: 150 kg

PG*: Packing group

Regulatory information

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases

: This product is not classified according to EU legislation.

Safety phrases

: S2- Keep out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

Pressurised container: protect from sunlight and do not expose to temperature

exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material.

Product use : Consumer applications, Industrial applications.

Other EU regulations

Additional warning phrases: Safety data sheet available for professional user on request.

Germany

Date of issue : 23/09/2010. 6/7

Powered by

Cleaner F5 Express 280ml

15. Regulatory information

Hazard class for water : 1 Appendix No. 4

<u>Italy</u>

Emission control directive : Not classified.

16. Other information

Full text of R-phrases referred to in : R22- Harmful if swallowed.

sections 2 and 3 - Europe R36- Irritating to eyes.

R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications referred to in sections 2 and 3 - Europe

Xn - Harmful Xi - Irritant

History

Date of printing : 19/01/2011.

Date of issue : 23/09/2010.

Date of previous issue : 23/09/2010.

Version : 7

Prepared by : Not available.

References

The Health and Safety At Work Act 1974, section 6.

Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 23/09/2010. 7/7

