



Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 11/06/2015

Revision date:

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Green Line - BLACK IN A FLASH AERO
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road
Liverpool, L30 4AB - United Kingdom
T +44 151 530 4740
MSDS@turtlewaxeurope.com

1.4. Emergency telephone number

Emergency number : +44 151 530 4740
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229
Skin Irrit. 2 H315
Eye Irrit. 2 H319
STOT SE 3 H336
Aquatic Chronic 3 H412

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, propan-2-ol

Hazard statements (CLP) :

H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P102 - Keep out of reach of children
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211 - Do not spray on an open flame or other ignition source
P251 - Do not pierce or burn, even after use
P271 - Use only outdoors or in a well-ventilated area
P302+P352 - IF ON SKIN: Wash with plenty of water
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P501 - Dispose of contents/container to hazardous or special waste collection point, in

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

accordance with local, regional, national and/or international regulation

EUH-statements

: EUH208 - Contains (L) LIMONENE(5989-27-5), (L) HEXYL CINNAMAL(101-86-0), ALPHA-ISOMETHYL IONONE(127-51-5), BUTYLPHENYL METHYLPROPIONAL(80-54-6), ACETYL CEDRENE(32388-55-9), (L) COUMARIN(91-64-5). May produce an allergic reaction

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Pressurised container: May burst if heated. May cause drowsiness or dizziness. Causes skin irritation. Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	(CAS No) 68512-91-4 (EC no) 270-990-9 (EC index no) 649-083-00-0	50 - 80	Press. Gas Flam. Gas 1, H220
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(CAS No) 64742-49-0 (EC no) 265-151-9 (EC index no) 649-328-00-1	10 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 30	Flam. Liq. 2, H225 STOT SE 3, H336 Eye Irrit. 2, H319
BENZOTRIAZOLYL DODECYL P-CRESOL	(CAS No) 125304-04-3	< 1	Aquatic Chronic 2, H411
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(L) HEXYL CINNAMAL	(CAS No) 101-86-0 (EC no) 202-983-3 (REACH-no) 01-2119533092-50	< 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
LINALYL ACETATE	(CAS No) 115-95-7 (EC no) 204-116-4 (REACH-no) 01-2119454789-19	< 1	Skin Irrit. 2, H315
AMYL SALICYLATE	(CAS No) 2050-08-0 (EC no) 218-080-2	< 1	Aquatic Chronic 2, H411
ACETYL HEXAMETHYL TETRALIN	(CAS No) 1506-02-1 (EC no) 216-133-4	< 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE	(CAS No) 32210-23-4 (EC no) 250-954-9	< 1	Aquatic Chronic 2, H411
Linalool	(CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42	< 1	Skin Irrit. 2, H315
JUNIPERUS MEXICANA WOOD OIL	(CAS No) 91722-61-1 (EC no) 294-461-7	< 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXAMETHYLINDANOPYRAN	(CAS No) 1222-05-5 (EC no) 214-946-9 (EC index no) 603-212-00-7	< 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALPHA-ISOMETHYL IONONE	(CAS No) 127-51-5 (EC no) 204-846-3	< 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
BUTYLPHENYL METHYLPROPIONAL	(CAS No) 80-54-6 (EC no) 201-289-8 (REACH-no) 01-2119485965-18	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
CITRONELLYL ACETATE	(CAS No) 150-84-5 (EC no) 205-775-0	< 1	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
ACETYL CEDRENE	(CAS No) 32388-55-9 (EC no) 251-020-3 (REACH-no) 01-2119969651-28	< 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

(L) COUMARIN	(CAS No) 91-64-5 (EC no) 202-086-7 (REACH-no) 01-2119949300-45	< 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
butylated hydroxy toluene	(CAS No) 128-37-0 (EC no) 204-881-4	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

- Explosion hazard : Pressurised container: May burst if heated.
- Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protection equipment (PPE).
- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe gas/vapour. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Absorb spillage to prevent material damage.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing gas, spray, vapours. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Prohibitions on mixed storage	: Do not mix with organic peroxides. Infectious substances. No contact with flammable substances. Radioactive materials.
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Keep only in original container.
Packaging materials	: Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm
butylated hydroxy toluene (128-37-0)		
United Kingdom	Local name	2,6-Di-tert-butyl-p-cresol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 3.2 - 5.2
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.6 - 0.7
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

propan-2-ol (67-63-0)	
LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m ³
(L) HEXYL CINNAMAL (101-86-0)	
LD50 oral	3100 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/m ³
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE (32210-23-4)	
LD50 oral	3370 mg/kg bodyweight
Linalool (78-70-6)	
LD50 oral	2780 mg/kg bodyweight
LD50 dermal	5610 mg/kg bodyweight
BUTYLPHENYL METHYLPROPIONAL (80-54-6)	
LD50 oral	1390 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
(L) COUMARIN (91-64-5)	
LD50 oral	500 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Green Line - BLACK IN A FLASH AERO	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

propan-2-ol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
(L) HEXYL CINNAMAL (101-86-0)	
LC50 fish 1	1.7 mg/l
EC50 other aquatic organisms 1	EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 0.32 mg/l
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	88.3 mg/l IC50 algea (72 h) mg/l
BUTYLPHENYL METHYLPROPIONAL (80-54-6)	
LC50 fish 1	2.2 mg/l
EC50 other aquatic organisms 1	10.7 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l
(L) COUMARIN (91-64-5)	
LC50 fish 1	56 mg/l
EC50 other aquatic organisms 1	13.5 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

propan-2-ol (67-63-0)	
Log Pow	0.14
(L) HEXYL CINNAMAL (101-86-0)	
Log Pow	4.82
Linalool (78-70-6)	
Log Pow	2.97
(L) COUMARIN (91-64-5)	
Log Pow	1.39

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Proper Shipping Name (ADN) : AEROSOLS
Proper Shipping Name (RID) : AEROSOLS
Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1
Hazard labels (IATA) : 2.1



ADN

Transport hazard class(es) (ADN) : 2.2
Danger labels (ADN) : 2.2



RID

Transport hazard class(es) (RID) : 2.2
Danger labels (RID) : 2.2



14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

- Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
MFAG-No	: 126

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

- Inland waterway transport

Classification code (ADN)	: 5A
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP
Ventilation (ADN)	: VE04
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No
Not subject to ADN	: No

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

- Rail transport

Classification code (RID)	: 5A
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 20
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Allergenic fragrances > 0,01%:

HEXYL CINNAMAL
LINALOOL
ALPHA-ISOMETHYL IONONE
BUTYLPHENYL METHYLPROPIONAL
COUMARIN

Detergent Regulation : Ingredient data sheet:

Component	CAS No	%
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, [A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C3 through C5, predominantly C3 through C4.]	68512-91-4	>=10%
Naphtha (petroleum), hydrotreated light, Low boiling point hydrogen treated naphtha, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F).]	64742-49-0	>=10%
ISOPROPYL ALCOHOL	67-63-0	1 - 10%
BENZOTRIAZOLYL DODECYL P-CRESOL	125304-04-3	0.1 - 1%
(L) LIMONENE	5989-27-5	0.1 - 1%
HEXYL CINNAMAL	101-86-0	0.1 - 1%
LINALYL ACETATE	115-95-7	0.1 - 1%
AMYL SALICYLATE	2050-08-0	0.1 - 1%
ACETYL HEXAMETHYL TETRALIN	1506-02-1	0.1 - 1%
4-TERTIARY-BUTYLCYCLOHEXYL ACETATE	32210-23-4	0.1 - 1%
LINALOOL	78-70-6	0.1 - 1%
JUNIPERUS MEXICANA WOOD OIL	91722-61-1	0.1 - 1%
HEXAMETHYLINDANOPYRAN	1222-05-5	0.1 - 1%
ALPHA-ISOMETHYL IONONE	127-51-5	0.1 - 1%
BUTYLPHENYL METHYLPROPIONAL	80-54-6	0.1 - 1%
CITRONELLYL ACETATE	150-84-5	0.1 - 1%
ACETYL CEDRENE	32388-55-9	0.1 - 1%
COUMARIN	91-64-5	0.1 - 1%
butylated hydroxy toluene	128-37-0	0.1 - 1%

Detergent Regulation : Labelling of contents:

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Component	%
Parfum	
HEXYL CINNAMAL	
LINALOOL	
ALPHA-ISOMETHYL IONONE	
BUTYLPHENYL METHYLPROPIONAL	
COUMARIN	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : This information of the Safety Data Sheet is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. We are not responsible for the correctness of the information provided and any consequences in using it. Please read the SDS carefully before using the product.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas	Gases under pressure
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H361f	Suspected of damaging fertility
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

Green Line - BLACK IN A FLASH AERO

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product