

# Safety Data Sheet according to (EC) No 1907/2006 - ISO 11014-1

Page 1 of 1

SDS no.: 283638

V001.0 Revision: 09.06.2008 printing date: 27.01.2009

UniBond Easy Finish All Purpose Interior & Exterior Sealant all colours

# 1. Identification of the substance/preparation and of the company/undertaking

#### Trade name:

UniBond Easy Finish All Purpose Interior & Exterior Sealant all colours

#### Intended use:

Joint sealant, silicone

### Company name:

Henkel Norden AB Box 8823

400.71

402 71 Göteborg

Sweden

Phone: +46 (31) 750 5400

### E-mail address of person responsible for Safety Data Sheet:

ua-productsafety.uk@uk.henkel.com

#### **Emergency information:**

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

### 2. Hazards identification

The product is not hazardous within the meaning of the valid (EU) preparation guideline.

## 3. Composition / information on ingredients

### General chemical description:

Joint sealants

## Base substances of preparation:

Polydimethyl siloxane

Filler

### Declaration of ingredients according to EC/1907/2006:

Hazardous components	EINECS	content	Classification
CAS-No.	ELINCS		
Poly(oxy-1,2-ethanediyl), .alpha		< 2 %	Xn - Harmful; R22
tridecylomegahydroxy- (15EO)			Xi - Irritant; R41
24938-91-8			
Thiabendazole	205-725-8	0,04 %	N - Dangerous for the environment; R50, R53
148-79-8			

For full text of the R-Phrases indicated by codes see section 16 'Other Information'.

Substances without classification may have community workplace exposure limits available.

### 4. First aid measures

#### **General information:**

In case of adverse health effects seek medical advice.

#### Inhalation:

MSDS-No.: 283638

Move to fresh air.

#### **Skin contact:**

Rinse with running water and soap.

Skin care

#### Eye contact:

Rinse immediately with plenty of running water, seek medical advice from a specialist.

#### Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

## 5. Fire fighting measures

### Suitable extinguishing media:

Foam. extinguishing powder carbon dioxide water spray jet

### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

### Special protection equipment for firefighters:

Wear protective equipment.

Wear self-contained breathing apparatus.

## Special hazards by the product itself:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

### 6. Accidental release measures

### **Personal precautions:**

Ensure adequate ventilation.

Danger of slipping on spilled product.

### **Environmental precautions:**

Do not empty into drains / surface water / ground water.

### Clean-up methods:

Remove mechanically.

Dispose of contaminated material as waste according to item 13.

## 7. Handling and storage

## Handling:

Ensure that workrooms are adequately ventilated.

Avoid skin and eye contact.

V001.0

#### Storage:

MSDS-No.: 283638

Ensure good ventilation/extraction.

Keep only in the original container.

Store in a cool, dry place.

Store frost-free.

Temperatures between + 5 °C and + 30 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### 8. Exposure controls / personal protection

#### **Engineering controls:**

No further information, see section 7.

#### **Respiratory protection:**

Not needed.

#### Hand protection:

For shorttime contact (e.g. as protection against splashes) protective gloves made from nitrile rubber are recommended according to EN 374.

material thickness > 0.4 mm

Perforation time > 480 minutes

Manufacturer e.g. German company KCL, type Camatril Velours 730.

In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, product compatibility, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industrial safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

#### Eye protection:

Wear protective goggles in event of spray hazard.

### Skin protection:

suitable protective clothing

#### General protection and hygiene measures:

Wash hands before work breaks and after finishing work.

Wash off any dirt that gets onto the skin with lots of soap and water, skin care.

### 9. Physical and chemical properties

**General characteristics:** 

liquid Appearance

pasty

varied, according to

coloration

Odor: Characteristic

Phys./chem. properties:

1,36 g/cm3 Density

(20 °C (68 °F))

Solubility (qualitative) Insoluble

(20 °C (68 °F); Solvent: Water)

## 10. Stability and reactivity

#### Conditions to avoid:

No decomposition if used according to specifications.

MSDS-No.: 283638 V001.0

#### Materials to avoid:

None if used for intended purpose.

### Hazardous decomposition products:

None known

### 11. Toxicological information

#### General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

## 12. Ecological information

### Persistence and degradability:

### **Ultimate biodegradation:**

The product is not biodegradable.

### General ecological information:

Do not empty into drains, soil or bodies of water.

### 13. Disposal considerations

#### **Product disposal:**

Waste incineration or treatment plant with the approval of the responsible local authority.

Can be added to household waste in small quantities.

The valid EEC waste code numbers are not product-related but are largely source-related. The manufacturer is therefore unable to specify EEC waste codes for the articles or products used in the various sectors. These can be requested from the manufacturer.

### Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

# 14. Transport information

#### **General information:**

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

## 15. Regulations - classification and identification

### Safety phrases:

S2 Keep out of the reach of children.

S46 If swallowed, seek medical advice immediately and show this container or label.

#### Additional information:

Not subject of the identification regulations.

V001.0

MSDS-No.: 283638

## 16. Other information

The labelling of the product is indicated in Section 15. The full text of the R-phrases indicted by codes in this safety data sheet are as follows:

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R53 May cause long-term adverse effects in the aquatic environment.

### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.