

# Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 8

SDS No.: 424410 V001.2

Revision: 28.05.2015

printing date: 23.02.2016

Replaces version from: 05.08.2014

Unibond All Purpose Universal Sealant white tube

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Unibond All Purpose Universal Sealant white tube

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Joint sealant, silicone

## 1.3. Details of the supplier of the safety data sheet

Henkel Ltd

Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000 Fax-no.: +44 (1442) 278071

ua-productsafety.uk@uk.henkel.com

# 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

## 2.2. Label elements

## Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**Supplemental information** Contains 4,5-Dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

**Precautionary statement:** P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. 01.2

#### 2.3. Other hazards

Evolves acetic acid during cure.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## General chemical description:

Joint sealants

## Base substances of preparation:

Reaction product of : Silane & Polyole

#### Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components<br>CAS-No.  | EC Number<br>REACH-Reg No.                        | content     | Classification  |
|--|---|-------------|---|
| Distillates (Petroleum) hydrotreated middle;<br>Gasoil - unspecified<br>64742-46-7 | 265-148-2<br>01-2119552497-29<br>01-2119827000-58 | > 15-< 20 % | Asp. Tox. 1<br>H304   |
| 4,5-Dichloro-2-octyl-2H-isothiazol-3-one<br>64359-81-5                             | 264-843-8   | < 500 PPM   | Acute Tox. 4; Oral H302 Skin Corr. 1B H314 Skin Sens. 1; Dermal H317 Acute Tox. 3; Inhalation H331 Aquatic Acute 1 H400 |

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

## Extinguishing media which must not be used for safety reasons:

High pressure waterjet

## 5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment.

Avoid contact with skin and eyes.

Danger of slipping on spilled product.

#### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

#### 6.3. Methods and material for containment and cleaning up

Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

## 6.4. Reference to other sections

See advice in section 8

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

## Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly sealed.

Store in a cool, dry place.

Temperatures between + 5 °C and + 25 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

# 7.3. Specific end use(s)

Joint sealant, silicone

V001.2

MSDS-No.: 424410

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Occupational Exposure Limits**

Valid for

Great Britain

| Ingredient [Regulated substance] | ppm | mg/m <sup>3</sup> | V 1                   | Short term exposure limit category / Remarks | Regulatory list |
|----------------------------------|-----|-------------------|-----------------------|--|-----------------|
| Acetic acid                      | 10  | 25                | Time Weighted Average | Indicative                                   | ECTLV           |
| 64-19-7                          |     |                   | (TWA):                |  |                 |
| [ACETIC ACID]                    |     |                   |                       |  |                 |

#### **Biological Exposure Indices:**

None

## 8.2. Exposure controls:

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Combination filter: ABEKP

This recommendation should be matched to local conditions.

Hand protection:

In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374.

Perforation time > 60 minutes material thickness > 0.1 mm

In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, product compatibility, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industrial safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance paste

high viscosity

white

Odor of acetic acid

Odour threshold No data available / Not applicable

рН No data available / Not applicable Initial boiling point No data available / Not applicable No data available / Not applicable Flash point Decomposition temperature No data available / Not applicable Vapour pressure No data available / Not applicable

0,97 g/cm3 Density

(20 °C (68 °F))

**Bulk** density No data available / Not applicable No data available / Not applicable Viscosity No data available / Not applicable Viscosity (kinematic) No data available / Not applicable Explosive properties

Solubility (qualitative) Insoluble (23 °C (73.4 °F); Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable Flammability No data available / Not applicable No data available / Not applicable Auto-ignition temperature **Explosive limits** No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable No data available / Not applicable Vapor density No data available / Not applicable Oxidising properties

#### 9.2. Other information

No data available / Not applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None if used for intended purpose.

## 10.2. Chemical stability

Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

See section reactivity

#### 10.4. Conditions to avoid

None if used for intended purpose.

#### 10.5. Incompatible materials

None if used properly.

#### 10.6. Hazardous decomposition products

Evolves acetic acid during cure.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

## Skin irritation:

Primary skin irritation: slightly irritating, does not require labeling

## Eye irritation:

Primary eye irritation: slightly irritating, does not require labeling

## Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

### Acute oral toxicity:

| Hazardous components | Value | Value | Route of    | Exposure | Species | Method |
|----------------------|-------|-------|-------------|----------|---------|--------|
| CAS-No.              | type  |       | application | time     |         |        |

## Acute inhalative toxicity:

| Hazardous components | Value | Value | Route of    | Exposure | Species | Method |
|----------------------|-------|-------|-------------|----------|---------|--------|
| CAS-No.              | type  |       | application | time     | _       |        |

# Acute dermal toxicity:

| Hazardous components | Value | Value | Route of    | Exposure | Species | Method |
|----------------------|-------|-------|-------------|----------|---------|--------|
| CAS-No.              | type  |       | application | time     |         |        |

# **SECTION 12: Ecological information**

## General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains, soil or bodies of water.

## 12.1. Toxicity

| Hazardous components<br>CAS-No.   | Value<br>type | Value         | Acute<br>Toxicity<br>Study | Exposure time | Species  | Method   |
|---|---------------|---------------|----------------------------|---------------|--|--|
| Distillates (Petroleum)<br>hydrotreated middle; Gasoil -<br>unspecified<br>64742-46-7 | LC50          | > 10.000 mg/l | Fish                       | 96 h          | Pimephales promelas  | OECD Guideline<br>203 (Fish, Acute<br>Toxicity Test)                   |
| 4,5-Dichloro-2-octyl-2H-<br>isothiazol-3-one<br>64359-81-5                            | NOEC          | 0,006 mg/l    | Fish                       | 35 d          | Cyprinodon variegatus  | OECD 210 (fish<br>early lite stage<br>toxicity test)                   |
|   | LC50          | 0,0027 mg/l   | Fish                       | 96 h          | Oncorhynchus mykiss  | OECD Guideline<br>203 (Fish, Acute<br>Toxicity Test)                   |
| 4,5-Dichloro-2-octyl-2H-<br>isothiazol-3-one<br>64359-81-5                            | EC50          | 0,0052 mg/l   | Daphnia                    | 48 h          | Daphnia magna  | OECD Guideline<br>202 (Daphnia sp.<br>Acute<br>Immobilisation<br>Test) |
| 4,5-Dichloro-2-octyl-2H-<br>isothiazol-3-one<br>64359-81-5                            | EC50          | 0,032 mg/l    | Algae                      |               | Selenastrum capricornutum<br>(new name: Pseudokirchnerella<br>subcapitata) | OECD Guideline   |

## 12.2. Persistence and degradability

| Hazardous components CAS-No.                             | Result | Route of application | Degradability | Method   |
|--|--------|----------------------|---------------|--|
| Distillates (Petroleum)<br>hydrotreated middle; Gasoil - |        | aerobic              | 30 %          | OECD Guideline 301 D (Ready<br>Biodegradability: Closed Bottle |
| unspecified<br>64742-46-7                                |        |                      |               | Test)  |

# 12.3. Bioaccumulative potential / 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

| Hazardous components                         | PBT/vPvB   |
|--|--|
| CAS-No.                                      |  |
| Distillates (Petroleum) hydrotreated middle; | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| Gasoil - unspecified                         | Bioaccumulative (vPvB) criteria.   |
| 64742-46-7                                   |  |

## 12.6. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

# **SECTION 14: Transport information**

## 14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.4. Packaging group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content 0,00 %

(VOCV 814.018 VOC regulation

CH)

## 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

V001.2

MSDS-No.: 424410

## **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

## Label elements (DPD):

Safety phrases:

S2 Keep out of the reach of children.

S24 Avoid contact with skin.

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

## Additional information:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.