

Safety Data Sheet according to Regulation (EC) No1907/2006

Page 1 of 9

SDS No.: 204709 V002.0

Revision: 22.04.2014

printing date: 28.10.2014

Solvite Border & Overlap Repair Adhesive

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Solvite Border & Overlap Repair Adhesive

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

Wallcovering adhesive, water-based solution

1.3. Details of the supplier of the safety data sheet

Henkel Ltd Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000 Fax-no.: +44 (1442) 278071

ua-productsafety.uk@uk.henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Classification (DPD):

No classification required.

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains 1,2-Benzisothiazol-3(2H)-one; Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-

, mixt. with 2-methyl-3(2H)-isothiazolone. May produce an allergic reaction.

Precautionary statement: P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing.

MSDS-No.: 204709 V002.0

Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients

General chemical description:

Wallpaper paste

Base substances of preparation:

Styrene-acrylate copolymer

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No. 1,2-Benzisothiazol-3(2H)-one 2634-33-5	REACH-Reg No. 220-120-9	< 500 PPM	Acute toxicity 4; Oral H302 Skin irritation 2 H315 Serious eye damage 1 H318 Skin sensitizer 1 H317 Acute hazards to the aquatic environment 1 H400
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone 55965-84-9		< 15 PPM	Acute toxicity 3; Inhalation H331 Acute toxicity 3; Dermal H311 Acute toxicity 3; Oral H301 Skin corrosion 1B H314 Skin sensitizer 1 H317 Acute hazards to the aquatic environment 1 H400 Chronic hazards to the aquatic environment 1 H410

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

Declaration of ingredients according to DPD (EC) No 1999/45:

Contains no dangerous substances exceeding the limits of the EU-Regulation

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Wipe up using absorbent material.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact.

The product is not self-igniting.

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container.

Frost-sensitive

Keep container tightly sealed.

Temperatures between + 5 °C and + 30 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

V002.0

7.3. Specific end use(s)

Wallcovering adhesive, water-based solution

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

None

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Not needed.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance paste viscous

Viscous Whitish

Odor typical

Odour threshold No data available / Not applicable

pH No data available / Not applicable
Initial boiling point No data available / Not applicable
Flash point No data available / Not applicable
Decomposition temperature No data available / Not applicable
Vapour pressure No data available / Not applicable

Density 1,01 - 1,04 g/cm3

(20 °C (68 °F))

Bulk density

No data available / Not applicable
Viscosity

150.000 - 190.000 mPa.s

(; 25 °C (77 °F))

Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable

Solubility (qualitative) Miscible

(20 °C (68 °F); Solvent: Water)

Solidification temperature

Mo data available / Not applicable
Melting point

No data available / Not applicable
Flammability

No data available / Not applicable
Auto-ignition temperature

Explosive limits

No data available / Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Partition coefficient: n-octanol/water

No data available / Not applicable

MSDS-No.: 204709

V002.0

Evaporation rate No data available / Not applicable Vapor density No data available / Not applicable Oxidising properties No data available / Not applicable

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

None known

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

Acute oral toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
1,2-Benzisothiazol-3(2H)-	Acute	670 mg/kg	oral			Expert judgement
one	toxicity					1 3 6
2634-33-5	estimate					
	(ATE)					
1,2-Benzisothiazol-3(2H)-	LD50	670 - 784			rat	
one		mg/kg				
2634-33-5						

Acute dermal toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	LD50	> 5.000 mg/kg	dermal		rat	EPA OPP 81-2 (Acute Dermal
one						Toxicity)
2634-33-5						

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	moderately irritating	4 h	rabbit	EPA OPP 81-5 (Acute Dermal
one				Irritation)
2634-33-5				

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	highly irritating	48 h	rabbit	EPA OPP 81-4 (Acute Eye
one				Irritation)
2634-33-5				
1,2-Benzisothiazol-3(2H)-	highly irritating		rabbit	
one				
2634-33-5				

Respiratory or skin sensitization:

	Hazardous components CAS-No.	Result	Test type	Species	Method
ſ	1,2-Benzisothiazol-3(2H)-	sensitising	Guinea pig	guinea pig	
	one		maximisat		
	2634-33-5		ion test		

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative			mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative	oral: unspecified		rat	OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,2-Benzisothiazol-3(2H)-	NOAEL=10 mg/kg	oral: gavage	90 days daily	rat	OECD Guideline 408
one					(Repeated Dose 90-Day Oral
2634-33-5					Toxicity in Rodents)

SECTION 12: Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

12.1. Toxicity

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-one	LC50	1,4 mg/l	Fish	96 h	Salmo gairdneri (new name:	OECD Guideline
2634-33-5					Oncorhynchus mykiss)	203 (Fish, Acute
						Toxicity Test)
1,2-Benzisothiazol-3(2H)-one	EC50	1,05 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
2634-33-5			_		-	202 (Daphnia sp.
						Acute
						Immobilisation
						Test)
1,2-Benzisothiazol-3(2H)-one	ErC50	0,11 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
2634-33-5						201 (Alga, Growth
						Inhibition Test)
Mixture, 3(2H)-Isothiazolone,	NOEC	0,098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD 210 (fish
5-chloro-2-methyl-, mixt. with						early lite stage
2-methyl-3(2H)-isothiazolone 55965-84-9						toxicity test)
	LC50	0,22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline
		-, 8			, , , , , , , , , , , , , , , , , , ,	203 (Fish, Acute
						Toxicity Test)
Mixture, 3(2H)-Isothiazolone,	NOEC	0,0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
5-chloro-2-methyl-, mixt. with					•	201 (Alga, Growth
2-methyl-3(2H)-isothiazolone						Inhibition Test)
55965-84-9						, i
	EC50	0,048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
		·			•	201 (Alga, Growth
						Inhibition Test)
Mixture, 3(2H)-Isothiazolone,	NOEC	0,0036 mg/l	chronic	21 d	Daphnia magna	OECD 211
5-chloro-2-methyl-, mixt. with			Daphnia			(Daphnia magna,
2-methyl-3(2H)-isothiazolone						Reproduction Test)
55965-84-9						

12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Mixture, 3(2H)-Isothiazolone,	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready
5-chloro-2-methyl-, mixt. with				Biodegradability: Closed Bottle
2-methyl-3(2H)-isothiazolone				Test)
55965-84-9				

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Mixture, 3(2H)-Isothiazolone,	-0,71 -				20 °C	OECD Guideline 117
5-chloro-2-methyl-, mixt. with	0,75					(Partition Coefficient (n-
2-methyl-3(2H)-isothiazolone						octanol / water), HPLC
55965-84-9						Method)

12.5. Results of PBT and vPvB assessment

Hazardous components	PBT/vPvB
CAS-No.	
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
2634-33-5	Bioaccumulative (vPvB) criteria.
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
methyl-, mixt. with 2-methyl-3(2H)-	Bioaccumulative (vPvB) criteria.
isothiazolone	
55965-84-9	

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

V002.0

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code 080410

SECTION 14: Transport information

14.1. UN number

ADR	Not dangerous goods
RID	Not dangerous goods
ADNR	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.2. UN proper shipping name

ADR	Not dangerous goods
RID	Not dangerous goods
ADNR	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.3. Transport hazard class(es)

ADR	Not dangerous goods
RID	Not dangerous goods
ADNR	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.4. Packaging group

ADR	Not dangerous goods
RID	Not dangerous goods
ADNR	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADNR	not applicable
IMDG	not applicable
IATA	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
RID	not applicable
ADNR	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content 0,0 %

(VOCV 814.018 VOC regulation

CH)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.