Safety data sheet

Issue date: 04-03-2013 Version: 01.00/GBR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Tel:

Fax:

Email:

Trade name: Saness Minipool

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Disinfection agent

1.3. Details of the supplier of the safety data sheet

Supplier: Swim & Fun Scandinavia ApS

Fagerholtvej 12 4050 Skibby Denmark +45 70226856 +45 70226859 cl@swim-fun.dk

1.4. Emergency telephone number

0870 600 6266 (UK only) Only available to health professionals.

Emergency telephone comments: The emergency telephone is open 24 hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

DPD-classification: N;R50/53

Please see section 16 for the full text of R-phrases and H-phrases.

Most serious harmful effects: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

2.2. Label elements



Hazard designation: Dangerous for the environment

R-phrases: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S-phrases: Keep out of the reach of children.

Do not empty into drains, dispose of this material and its container to hazardous or special

waste collection point.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

SECTION 3: Composition/information on ingredients

Saness Minipool 1/6

3.2. Mixtures

Registration number	CAS/ EC Number	Substance	DSD-classification/ CLP-classification	w/w%	Note
	25988-97-0	Methanamine, N-methyl-, Polymer	N;R50/53	25-50	
•		with (chlorpmethyl)oxirane	Aquatic Acute 1;H400 Aquatic Chronic 1;H410		
	25988-97-0	Methanamine, N-methyl-, Polymer	N;R50	2,5-10	
	•	with (chlorpmethyl)oxirane	Aquatic Acute 1;H400		-

Please see section 16 for the full text of R-phrases and H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice

in case of persistent discomfort.

Skin: Wash the skin with water. Seek medical advice in case of persistent discomfort.

Eyes: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical

advice if symptoms persist.

Other information: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing media Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air. The product decomposes when combusted or heated to high temperatures and the following

toxic gases can be formed: Nitrous gases/ Hydrogenchloride.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn. Move containers from danger area if it can be done without risk. Avoid inhalation

of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash. Wear gloves. Stay upwind/keep distance

from source. Stop leak if this can be done without risk.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water. Notify proper authorities in case of

contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste

containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Saness Minipool 2/6

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight). Keep in tightly closed original packaging. Store cold, but

frost-free.

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Legal basis: EH40/2005 Workplace exposure limits. Last amended December 2011.

Contains no substances subject to reporting requirements.

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment,

Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166.

eye/face protection:

Personal protective equipment,

skin protection:

Plastic or rubber gloves recommended. Breakthrough time has not been determined for the

product. Change gloves often. Gloves must conform to EN 374.

Personal protective equipment,

respiratory protection:

Not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: No data Characteristic Odour: Odour threshold: No data pH (solution for use): No data pH (concentrate): No data Melting point/freezing point: No data

Initial boiling point and boiling Approx. 100 °C

range:

Flash point: No data Evaporation rate: No data No data Flammability (solid, gas): Upper/lower flammability limits: No data Upper/lower explosive limits: No data Vapour pressure: 23 hPa (20 °C) Vapour density: No data

Relative density: 1,06 g/cm3 (20 °C)

Solubility: Solubility in water: Miscible

Partition coefficient No data

n-octanol/water:

Auto-ignition temperature: No data Decomposition temperature: No data Viscosity: No data Explosive properties: No data Oxidising properties: No data

9.2. Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

3/6 Saness Minipool

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following

toxic gases can be formed: Nitrous gases/ Hydrogenchloride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: The product does not have to be classified. Test data are not available. Ingestion may cause

discomfort.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: The product does not have to be classified. Test data are not available. May cause slight

irritation.

Serious eye damage/eye irritation: The product does not have to be classified. Test data are not available. May cause eye

irritation.

Sensitisation: The product does not have to be classified. Test data are not available.

Mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Toxicity in case of single exposure: The product does not have to be classified. Test data are not available. Inhalation of vapours

may cause irritation to the upper airways.

Toxicity in case of repeated or

prolonged exposure:

The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Acute toxicity: 25988-97-0:

Fish: Brachydanio rerio: 96hLC50 = 1,2 mg/l Crustacea: Daphnia magna: 48hEC50 = 0,31 mg/l Algae: Scenedesmus subspicatus: 72hEC50 = 0,49 mg/l

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Other adverse effects

None known.

Saness Minipool 4/6

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. Collect spills and waste in closed, leak-proof

containers for disposal at the local hazardous waste site.

EWC code: Depends on line of business and use, for instance 16 05 08 discarded organic

chemicals consisting of or containing dangerous substances

Absorbent/cloth contaminated with the product:

EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified),

wiping cloths, protective clothing contaminated by dangerous substances

SECTION 14: Transport information ADR/RID

14.1. UN number 3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,

Polymer with (chlorpmethyl)oxirane)

14.3. Transport hazard class(es) 9

14.4. Packing group III

Hazard identification number 90

Tunnel restriction code:

14.5. Environmental hazards

The product must be labelled as an environmental hazard (symbol: fish and tree) in packaging

sizes of more than 5 kg/l.

Ε

ADN

14.1. UN number 3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,

Polymer with (chlorpmethyl) oxirane)

14.3. Transport hazard class(es)

14.4. Packing group III

14.5. Environmental hazards

The product must be labelled as an environmental hazard (symbol: fish and tree) in packaging

sizes of more than 5 kg/l.

Environmental hazard in tank

vessels:

Not applicable.

IMDG

14.1. UN number 3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,

Polymer with (chlorpmethyl) oxirane)

14.3. Transport hazard class(es)

14.4. Packing group III

14.5. Environmental hazards The product must be labelled as a Marine Pollutant (MP) in packaging sizes of more than 5 kg/l.

IMDG Code segregation group: -

ICAO/IATA

14.1. UN number 3082

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Methanamine, N-methyl-,

Polymer with (chlorpmethyl) oxirane)

9

14.3. Transport hazard class(es)

14.4. Packing group III

Saness Minipool 5/6

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: Council Directive 96/82/EC (Seveso), Dangerous for the environment: Column 2: 100 t, Column

3. 200 t

15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

SECTION 16: Other information

Abbreviation explanations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

R-phrases: R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

H-phrases: H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training: A thorough knowledge of this safety data sheet should be a prerequisite condition.

JRO/ Bureau Veritas HSE Denmark A/S Birkemosevej 7, DK-6000 Kolding T: +45 75508811, F: +45 75508810, E-mail: infohse@dk.bureauveritas.com, Web: www.hse.bureauveritas.dk (Made in Toxido®) UK

Saness Minipool 6/6