

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 6

sds no.: 383159

V001.1 Revision: 01.09.2011

printing date: 03.01.2012

Loctite Super Glue Power Easy

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier:

Loctite Super Glue Power Easy

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Super glue

Details of the supplier of the safety data sheet:

Henkel Limited Apollo Court, 2 Bishop Square Business Park Hatfield, Hertfordshire AL10 9EY

Great Britain

Phone: +44 (0)1606 593933 Fax-no.: +44 (0)1606 863762

ua-productsafety.uk@uk.henkel.com

Emergency Telephone Number:

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

SECTION 2: Hazards identification

Classification of the substance or mixture:

Classification (DPD):

No classification required.

Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Additional labeling:

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Other hazards:

Persons suffering from allergic reactions to acrylates should avoid contact with the product.

SECTION 3: Composition/information on ingredients

General chemical description:

Super glue

Base substances of preparation:

Cyanoacrylate

Declaration of the ingredients according to CLP (EC) No 1272/2008:

No data available.

Declaration of ingredients according to DPD (EC) No 1999/45:

Hazardous components CAS-No.	EC Number REACH-Reg No.	content	Classification
2-Methoxyethyl a-cyanoacrylate 27816-23-5	248-670-5	> 70 - < 100 %	

For full text of the R-Phrases indicated by codes see section 16 'Other Information'. Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

Description of first aid measures:

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

Eye contact:

If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

Ingestion:

Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

Most important symptoms and effects, both acute and delayed:

No data available.

Indication of any immediate medical attention and special treatment needed:

See section: Description of first aid measures

SECTION 5: Firefighting measures

Extinguishing media:

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

Special hazards arising from the substance or mixture:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

Advice for firefighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes.

Wear protective equipment.

Environmental precautions:

Do not empty into drains / surface water / ground water.

Methods and material for containment and cleaning up:

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Chapter 13.

Reference to other sections:

See advice in chapter 8

SECTION 7: Handling and storage

Precautions for safe handling:

Open and handle container with care.

Avoid skin and eye contact.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

$Conditions \ for \ safe \ storage, \ including \ any \ incompatibilities:$

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C (35.6 - 46.4 °F)

Store in sealed original container.

Store in a cool place, max. storage temperature 30°C.

Store in a dry place.

Store frost-free.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

Specific end use(s):

Super glue

SECTION 8: Exposure controls/personal protection

Control parameters:

Valid for

Great Britain

None

Exposure controls:

Respiratory protection:

Not needed.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Goggles which can be tightly sealed.

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties:

Appearance

thick, liquid colourless, Straw

Odor characteristic

рH No data available / Not applicable Initial boiling point No data available / Not applicable

Flash point > 80 °C (> 80 80 °C)

80 - 93,4 °C (176 - 200.12 °F) Flash point Decomposition temperature No data available / Not applicable No data available / Not applicable Vapour pressure No data available / Not applicable Density Bulk density No data available / Not applicable Viscosity No data available / Not applicable Viscosity (kinematic) No data available / Not applicable

Explosive properties No data available / Not applicable Solubility (qualitative) Polymerises in presence of water. Solubility (qualitative) Polymerises in presence of water. Solidification temperature No data available / Not applicable Melting point No data available / Not applicable No data available / Not applicable Flammability No data available / Not applicable Auto-ignition temperature Explosive limits No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable

Vapor density No data available / Not applicable No data available / Not applicable Oxidising properties

Other information:

No data available / Not applicable

SECTION 10: Stability and reactivity

Reactivity:

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

Chemical stability:

Stable under recommended storage conditions.

Possibility of hazardous reactions:

See section reactivity

Conditions to avoid:

None if used for intended purpose.

Incompatible materials:

None if used properly.

Hazardous decomposition products:

None known

Loctite Super Glue Power Easy

Page 5 of 6

MSDS-No.: 383159 V001.1

SECTION 11: Toxicological information

General toxicological information:

To the best of our knowledge no harmful effects are to be expected if the product is handled and used properly.

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
2-Methoxyethyl a-	negative	bacterial reverse	with and without		OECD Guideline 471
cyanoacrylate		mutation assay (e.g			(Bacterial Reverse Mutation
27816-23-5		Ames test)			Assay)

SECTION 12: Ecological information

General ecological information:

Do not empty into drains, soil or bodies of water.

SECTION 13: Disposal considerations

Waste treatment methods:

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Disposal must be made according to official regulations.

Waste code 080410

SECTION 14: Transport information

Road transport ADR:

Not dangerous goods

Railroad transport RID:

Not dangerous goods

Inland water transport ADN:

Not dangerous goods

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Class: 9

Packaging group:

Packaging instructions (passenger) Packaging instructions (cargo)

UN no.: 3334 Label: 9

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

VOC content 2,00 %

(VOCV 814.018 VOC regulation

CH)

VOC content < 3 %

(1999/13/EC)

VOC content < 3 %

(1999/13/EC)

SECTION 16: Other information

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.