

SAFETY DATA SHEET

Page 1 of 3

FG6136-350 Ice Liquid Claybar

Revision 2 Revision date 10-Dec-2008

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name FG6136-350 Ice Liquid Claybar

Company Turtle Wax Limited

East Gillibrands Skelmersdale Lancashire WN8 9TX England

MSDS@turtlewax.ltd.uk www.turtlewaxeurope.com

Telephone +44 (0)1695 722161 **Fax** +44 (0)1695 716621

Emergency telephone

number

+44 (0)1695 722161 (Daytime)

Intended use Car Care Product.

2 HAZARDS IDENTIFICATION.

Main hazards Irritating to eyes.

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Mixed Hydrocarbon Isomers	10-15%	64742-48-9	265-150-3	Xn; R65 R10-66
Lauramide Oxide	0-5%	1634-20-5		Xi; R38-41
Sodium Alkyl Sulphate	0-5%	68955-19-1	271-557-7	Xi; R38-41
Mixed Aliphatic Hydrocarbons.	5-10%	64742-47-8	265-149-8	Xn; R65 R66

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of

soap and water. Remove contaminated clothing. Seek medical attention if irritation or

symptoms persist.

Eye contact May cause irritation to eyes. Contact lenses should be removed. Rinse immediately

with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if

irritation or symptoms persist.

Inhalation Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness

and headache. Move the exposed person to fresh air. Seek medical attention.

Ingestion Harmful if swallowed. Ingestion may cause nausea and vomiting. DO NOT INDUCE

VOMITING. If swallowed, seek medical advice immediately and show this container or

label.

Print date 4-Jan-2010

FG6136-350 Ice Liquid Claybar

Revision 10-Dec-2008

Revision date

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards carbon oxides may be formed in fire conditions.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in Storage

correctly labelled containers. Store at temperatures between 5 °C and 35 °C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Occupational exposure

controls

Wash all contaminated clothing before reuse. Wash hands after handling the product.

Respiratory protection Self-contained breathing apparatus. Wear protective clothing.

Hand protection Chemical resistant gloves (PVC)

Eye protection Approved safety goggles.

Protective equipment Wear chemical protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Liquid. Colour Blue.

Odour Characteristic.

Hq 8.4 **Boiling point** 100°C 65°C Flash point Relative density 1.000

Viscosity Kinematic Viscosity in 10-6 m²/s at 40°C (ISO 3219) - 15

Evaporation rate <0.1 n-butyl acetate = 1.0

Melting point 0°C

10. STABILITY AND REACTIVITY

Stable under normal conditions. Stability

Conditions to avoid Do NOT allow to freeze. Store at temperatures below 35 °C.

Materials to avoid None. Hazardous decomposition None.

products

11. TOXICOLOGICAL INFORMATION

Toxicological information No known adverse health effects.

FG6136-350 Ice Liquid Claybar

Revision

Revision date

10-Dec-2008

12. ECOLOGICAL INFORMATION

Ecotoxicity No known adverse environmental effects.

Degradability Readily biodegradable. **Bioaccumulation** Does not bioaccumulate.

Further information The surfactant(s) contained in this preparation complies(comply) with the

> biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the

request of a detergent manufacturer.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. Do not allow product to

enter drains.

Disposal of packaging Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

ADR/RID Not applicable. **IMDG** Not applicable. IATA Not applicable.

Further information The product is not classifed as dangerous for carriage.

15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Symbols Xi - Irritant



Risk phrases R36 - Irritating to eyes.

Safety phrases S2 - Keep out of the reach of children.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S46 - If swallowed, seek medical advice immediately and show this container or label.

Further information Perfume contains benzyl benzoate.

Preservative - benzisothiazolinone.

Safety data sheet available for professional user on request.

16. OTHER INFORMATION

Text of risk phrases in

R10 - Flammable.

Section 3.

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other

process.

Revision This document differs from the previous version in the following areas:

15 - further information.

Print date 4-Jan-2010