

SAFETY DATA SHEET

Page 1 of 3

FG6109-350 Ice Synthetic Liquid Wax

Revision 5
Revision date 26-Nov-2009

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name FG6109-350 Ice Synthetic Liquid Wax

Company Turtle Wax Limited

East Gillibrands Skelmersdale Lancashire WN8 9TX England

MSDS@turtlewax.ltd.uk www.turtlewaxeurope.com

Telephone +44 (0)1695 722161

Fax +44 (0)1695 716621

Emergency telephone +44 (0)1695 722161 (Daytime)

number

National Poisons Tel.

Information Service

Intended use Car Care Product.

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

Conc. CAS EINECS Symbols/Risk phrases

Mixed Aliphatic Hydrocarbons. 70-100% 64742-47-8 265-149-8 Xn; R65 R66

4. FIRST AID MEASURES

Skin contactWash off immediately with plenty of soap and water. Remove contaminated clothing.

Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Contact lenses should be removed. Rinse immediately

with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if

irritation or symptoms persist.

Inhalation Considered to be not hazardous by inhalation.

Ingestion Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if

irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards carbon oxides may be formed in fire conditions.

Protective equipment Wear suitable respiratory equipment when necessary.

Print date 8-Jan-2010

FG6109-350 Ice Synthetic Liquid Wax

Revision 5

Revision date 26-Nov-2009

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Surfaces contaminated with the

product will become slippery.

Environmental precautions Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation of the working area. Adopt best Manual Handling

considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers. Store at temperatures between 5 °C and 35 °C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Occupational exposure Wash hands after handling the product.

controls

9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionLiquid.ColourClear.

Odour Characteristic.

Boiling point 160°C
Flash point 80°C
Relative density 0.854

Viscosity Kinematic Viscosity in 10-6 m²/s at 40°C (ISO 3219) - 100

Evaporation rate <0.1 n-butyl acetate = 1.0

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Do NOT allow to freeze. Store at temperatures below 35 °C.

Materials to avoid None.

Hazardous decomposition None.

products

11. TOXICOLOGICAL INFORMATION

Toxicological information No known adverse health effects.

12. ECOLOGICAL INFORMATION

Ecotoxicity No known adverse environmental effects.

Mobility Viscous liquid.

Degradability Readily biodegradable.

Bioaccumulation Does not bioaccumulate.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations. Do not allow product to

enter drains

Disposal methods Dispose of in compliance with all local and national regulations.

Disposal of packaging Empty containers can be sent for disposal or recycling

FG6109-350 Ice Synthetic Liquid Wax

Revision 5

Revision date 26-Nov-2009

14. TRANSPORT INFORMATION

ADR/RID Not applicable.

IMDG Not applicable.

IATA Not applicable.

Further information The product is not classifed as dangerous for carriage.

15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Risk phrases NSH - No Significant Hazard.

Safety phrases S2 - Keep out of the reach of children.

S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show

this container or label.

Further information Contains petroleum distillates.

Safety data sheet available for professional user on request.

16. OTHER INFORMATION

Text of risk phrases in R65 - Harmful: may cause lung damage if swallowed.

Section 3. R66 - Repeated exposure may cause skin dryness or cracking.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the

safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other

orocess.

Revision This document differs from the previous version in the following areas:

15 - further information.

Print date 8-Jan-2010