1 / 6 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF date: 30.01.2009 Dometic TANK CARE

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation

Dometic TANK CARE

Use of the substance/preparation

Cleaner

B

Company/undertaking identification

Dometic WAECO International GmbH, Hollefeldstrasse 63, D-48282 Emsdetten Telephone +49 (0) 2572 879-0, Fax +49 (0) 2572 879-300 www.waeco.de

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

Emergency telephone

Advisory office in case of poisoning:

Tel.:

Telephone number of the company in case of emergencies:

Tel. +49 (0) 5272 879-0

2. HAZARDS IDENTIFICATION

To people

See point 11 and 15. Preparation is classified as hazardous in the sense of directive 1999/45/EC. 36 Irritating to eyes. Note pH value. **To the environment**

See point 12.

Low pH-value can be harmful to water.

REGULATION (EC) No 648/2004

less than 5 % non-ionic surfactants

perfumes

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name			
content %	Symbol	R-phrases	EINECS, ELINCS
	Registration number (ECHA)	DNEL	PNEC
Citric acid			
10 -< 20	Xi	36	201-069-1
Lactic acid			
5 -< 10	Xi	38-41	201-196-2
Fatty alcohol ethoxylate			
1 -< 5	Xi	41	

2 / 6 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF date: 30.01.2009 Dometic TANK CARE

For complete wording of the R-phrases, refer to point 16.

4. FIRST AID MEASURES

4.1 Inhalation

Supply person with fresh air and consult doctor according to symptoms.

4.2 Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

4.3 Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

4.4 Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

Never pour anything into the mouth of an unconscious person!4.5 Special resources necessary for first aid

n.c.

B

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

CO2

Extinction powder

Water jet spray Large fire:

Water jet spray / alcohol resistant foam

5.2 Extinguishing media which shall not be used for safety reasons

None known

5.3 Special exposure hazards arising from the substance or preparation itself,

combustion products, resulting gases

In case of fire the following can develop:

Oxides of carbon Toxic pyrolysis products.

5.4 Special protective equipment for fire-fighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply

According to size of fire

Full protection, if necessary

5.5 Further information

Dispose of contaminated extinction water according to official regulations.

6. ACCIDENTAL RELEASE MEASURES

Refer to point 13. and for personal protection refer to point 8. 6.1 Personal precautions Ensure sufficient supply of air.

Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods for cleaning up

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr, sawdust), and dispose of according to point 13. Flush residue using copious water.

7. HANDLING AND STORAGE

7.1 Handling

Tips for safe handling: See point 6.1 Ensure good ventilation. 3 / 6 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF date: 30.01.2009 Dometic TANK CARE

Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. Observe directions on label and instructions for use. Use working methods according to operating instructions.

7.2. Storage

B

Requirements for storage rooms and

containers:

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Do not use acid sensitive materials.

Special storage conditions:

See point 10 Store at room temperature. Protect from frost.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values

8.2 Exposure controls

8.2.1 Occupational exposure controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Respiratory protection: Normally not necessary. Hand protection: Chemical resistant protective gloves (EN 374). If applicable Rubber gloves (EN 374). Safety gloves made of butyl (EN 374) Protective nitrile gloves (EN 374) Protective hand cream recommended. Eve protection: Tight fitting protective goggles with side protection (EN 166). Skin protection: Protective working garments (e.g. safety shoes EN 344, long-sleeved protective working garments)

Additional information on hand protection - No tests have been performed. Selection made for preparations according to the best available knowledge and information on the ingredients. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be

requested from the protective glove manufacturer and must be observed.

8.2.2 Environmental exposure controls

n.av.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Colour: Odour: pH-value undiluted: Boiling point/boiling range (°C): Melting point/melting range (°C): Flash point (°C): Liquid Blue Fresh, Fruity 2,1 - 2,4 Not specified Not detected n.a.

(B)			
4 / 6 Safety data sheet according to Regulation (EC) No 1907/2006, An Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF d Dometic TANK CARE			
	No		
Oxidising properties: Minimum limit of explosion:	NO n.a.		
Maximum limit of explosion:	n.a.		
Product is not explosive.			
Density (g/ml):	1,07		
Water solubility:	Mixable		
10. STABILITY A			
Conditions to avoid See point 7 Stable when handled and stored correctly. Materials to avoid See point 7			
See point 7 Avoid contact with strong alkalis. Avoid contact with acid sensitive materials.			
Avoid contact with strong oxidizing agents.			
Hazardous decomposition products			
See point 5.3			
No decomposition when used as directed.			
11. TOXICOLOGIO			
Acute toxicity and immediate effects Ingestion, LD50 rat oral (mg/kg): Inhalation, LC50 rat inhal.(mg/l/4h): Skin contact, LD50 rat dermal (mg/kg):	n.av. n.av. n.av.		
Eye contact:	See point 15.		
Delayed and chronic effects Sensitization: Carcinogenicity: Mutagenicity: Reproductive toxicity: Narcosis:	n.c. n.c. n.c. n.c. n.c.		
Further information The product was not tested. Classification according to calculation procedure. The following may occur: With long-term contact: Drying of the skin. Dermatitis (skin inflammation) Irritation of the skin.			
12. ECOLOGICA	L INFORMATION		
The product was not tested. Water hazard class (Germany): Self classification: Persistence and degradability:	1 Yes (VwVwS)		
The surfactant(s) contained in this preparation complies(comply) w No.648/2004 on detergents.			
Data to support this assertion are held at the disposal of the competitor to them, at their direct request or at the request of a detergent man			
Readily biodegradable *, ** Behaviour in sewage plants: According to the recipe, contains no AOX.	Note pH value.		
Aquatic toxicity:	n.av.		
Ecological toxicity:	n.av.		
Accumulation:	Not to be expected		
* Citric acid			
** Lactic acid			
13. DISPOSAL CONSIDERATIONS			

13.1. for the material / preparation / residue

(B)				
5 / 6 Safety data sheet according to Regulation (EC) No 1907/2006, A Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF Dometic TANK CARE				
EC disposal code no.: The waste codes are recommendations based on the scheduled Owing to the user's specific conditions for use and disposal, othe allocated under certain circumstances. (2001/118/EC, 2001/119/ 07 06 01 aqueous washing liquids and mother liquors 20 01 29 detergents containing dangerous substances Recommendation: Pay attention to local and national official regulations E.g. suitable incineration plant. E.g. dispose at suitable refuse site.	r waste codes may be			
13.2 for contaminated packing material See point 13.1 Pay attention to local and national official regulations Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner Recommended cleaner: Water	r as the substance.			
14. TRANSPORT INFORMATION				
General statements	n.a.			
Road/Rail-transport (ADR/RID)				
Class/packing group: Classification code:	n.a. n.a.			
LQ:	n.a.			
Transport by sea				
IMDG-code: Marine Pollutant:	n.a. (class/packing group) n.a			
Transport by air				
IATA:				
	n.a. (class/secondary danger/packing group)			
Additional information: Non-dangerous material according to Transport Regulations.				
Additional information: Non-dangerous material according to Transport Regulations.	RY INFORMATION			
Additional information: Non-dangerous material according to Transport Regulations.	RY INFORMATION			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product	RY INFORMATION			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes. S-phrases:	RY INFORMATION			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes.	RY INFORMATION Regulations incl. EC Directives			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes. S-phrases: 2 Keep out of the reach of children. 26 In case of contact with eyes, rinse immediately with plenty of v 46 If swallowed, seek medical advice immediately and show this	RY INFORMATION Regulations incl. EC Directives			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product I (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes. S-phrases: 2 Keep out of the reach of children. 26 In case of contact with eyes, rinse immediately with plenty of w 46 If swallowed, seek medical advice immediately and show this 56 Dispose of this material and its container to hazardous or spece Additions: n.a. Observe restrictions: Observe youth employment law (German regulation). VOC 1999/13/EC 0%	RY INFORMATION Regulations incl. EC Directives			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product I (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes. S-phrases: 2 Keep out of the reach of children. 26 In case of contact with eyes, rinse immediately with plenty of w 46 If swallowed, seek medical advice immediately and show this 56 Dispose of this material and its container to hazardous or spece Additions: n.a. Observe restrictions: Observe youth employment law (German regulation). VOC 1999/13/EC 0%	RY INFORMATION Regulations incl. EC Directives			
Additional information: Non-dangerous material according to Transport Regulations. 15. REGULATO Classification according to Dangerous Product I (67/548/EEC and 1999/45/EC) Symbols: Xi Indications of danger: Irritant R-phrases: 36 Irritating to eyes. S-phrases: 2 Keep out of the reach of children. 26 In case of contact with eyes, rinse immediately with plenty of w 46 If swallowed, seek medical advice immediately and show this 56 Dispose of this material and its container to hazardous or spece Additions: n.a. Observe restrictions: Observe youth employment law (German regulation). VOC 1999/13/EC 0%	RY INFORMATION Regulations incl. EC Directives Image: State of the seek medical advice. vater and seek medical advice. container or label. cial waste collection point. Yes Image: State of the seek medical advice.			

6/6

B

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision: 30.01.2009 Replaces the version of: 30.01.2009 PDF date: 30.01.2009 Dometic TANK CARE

Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-terme exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40 AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany) VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.