SDS NO.: 10692



SAFETY DATA SHEET ^Polish & Wax

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NO. 140
APPLICATION Polish

SUPPLIER Autosmart International Ltd

Lynn Lane,

Shenstone, nr Lichfield Staffordshire. WS14 0DH

England

www.autosmartinternational.com Tel: +44 (0) 1543 481616 (09:00 -

17:00)

Fax: +44 (0) 1543 481549 (09:00 -

17:00)

info@autosmartinternational.com

EMERGENCY TELEPHONE Mob: +44 (0) 7808 971321 (24hrs)

Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00)

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

ENVIRONMENT

Contains a substance which causes risk of hazardous effects to the environment.

PHYSICAL AND CHEMICAL HAZARDS

Considering the limited amount applied during use and the size of the container, the risk of adverse effects is considered small.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
CALCINED KAOLIN CLAY		1332-58-7	1-5%	-
OLEYLBIS(2-HYDROXYETHYL)AMINE	246-807-3	25307-17-9	< 1%	Xn;R22. C;R34. N;R50.
WHITE SPIRIT	265-150-3	64742-48-9	10-30%	Xn;R65. R10,R66.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately! If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

SKIN CONTACT

Wash skin with soap and water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

EYE CONTACT

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Report Date: 17/11/2008

^Polish & Wax

SDS NO.: 10692

SPECIFIC HAZARDS
Oxides of: Carbon.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

For personal protection, see section 8.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

SPILL CLEAN UP METHODS

Do not contaminate water sources or sewer. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Flush area clean with lots of water. Be aware of potential for surfaces to become slippery.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Avoid inhalation of vapours. During application and drying, solvent vapours will be emitted.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
^Polish & Wax	WEL					
CALCINED KAOLIN CLAY	WEL		2 mg/m3			
WHITE SPIRIT	WEL		1000 mg/m3			

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



PROCESS CONDITIONS

Provide eyewash station.

ENGINEERING MEASURES

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit. In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P2).

HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Nitrile. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Provide eyewash station.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Report Date: 17/11/2008

SDS NO.: 10692

^Polish & Wax

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Viscous Liquid

COLOUR Yellow

ODOUR Pleasant, agreeable.

SOLUBILITY Insoluble in water Miscible with Hydrocarbons.

RELATIVE DENSITY ca 0.965 (20°C) FLASH POINT (°C) > 62 CC (Closed cup).

VOLATILE ORGANIC COMPOUND 221 g/litre

(VOC)

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 > 4000 mg/kg (oral rat)

GENERAL INFORMATION

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

INHALATION

Vapours may cause headache, fatigue, dizziness and nausea.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

May cause defatting of the skin, but is not an irritant.

EYE CONTACT

No specific health warnings noted.

HEALTH WARNINGS

This product has low toxicity. Only large volumes may have adverse impact on human health.

Other Health Effects

NTP Not Listed. OSHA Not Regulated. IARC Not Listed.

ROUTE OF ENTRY

Ingestion. Inhalation.

MEDICAL SYMPTOMS

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals. Prolonged or repeated exposure may cause: Dry skin.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

OLEYBIS (2-HYDROXYETHYL) AMINE

Cas No 25307-17-9/R50

LC50 0.39mg/L

EC50 <1mg/L

LC 50, 96 Hrs, FISH mg/l >100 EC 50, 48 Hrs, DAPHNIA, mg/l >100

13 DISPOSAL CONSIDERATIONS

Report Date: 17/11/2008

^Polish & Wax

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Do not allow runoff to sewer, waterway or ground.

14 TRANSPORT INFORMATION

GENERAL The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

UN NO. ROAD 0 ADR CLASS Not dangerous according to

ADR.

SDS NO.:

10692

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

S23 Do not breathe vapour/spray.

S24/25 Avoid contact with skin and eyes.

S37 Wear suitable gloves.

S51 Use only in well-ventilated areas.

P13 Safety data sheet available for professional user on request.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

GENERAL INFORMATION

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Only trained personnel should use this material. REVISION DATE 05/09/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

R10 Flammable.

R22 Harmful if swallowed.

R34 Causes burns.

R50 Very toxic to aquatic organisms.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.