SAFETY DATA SHEET

SDS Reference No. : 96/40

Issue Date : FEB 2003

Revision No. : 2

I PRODUCT AND COMPANY IDENTIFICATION

1.1 Identification of the substance or preparation:

UNILITE GAS

1.2 Company identification: Unilight BV,

Ampereweg 12, NL-6101 XE Echt The Netherlands

1.3 Emergency contact number: 31 (0) 475 - 488400

(office hours only)

II COMPOSITION/INFORMATION ON INGREDIENTS

2.1 Chemical composition : blend of hydrocarbons consisting primarily of

propane, iso-butane and n-butane

2.2 Risk phrases : Extremely flammable gas

2.3 Classification/symbol : Extremely flammable gas/F+

III HAZARDS IDENTIFICATION

Extremely flammable liquefied gas.

Eyes: contact with liquid or gas under pressure can cause frostbite (cold

burns)

Skin: contact with liquid can cause frostbite (cold burns)

Inhalation: may cause irritation to nose and throat, headache, nausea,

vomiting dizziness, euphoria, drowsiness. In poorly ventilated or

confined areas, unconsciousness and asphyxiation may result.

SDS 96/40, Revision 2, Page 1 of 4

IV	FIRST AID MEASURES		
4.1	Eye contact	: flush immediately with plenty of water for at least 15	
		minutes.	
		Hold eyelids apart while flushing to rinse entire surfaces of eye and lids with water. Get immediate medical attention.	
4.2	Skin contact	: in case of cold burns, immediately place affected area in tepid	
1.2		to warm water, and keep immersed until circulation returns.	
4.3	Inhalation	: remove patient immediately to uncontaminated area. Keep	
		warm and at rest. If breathing has stopped or shows signs of	
		failing, commence artificial respiration. Get immediate	
		medical attention.	
4.4	Ingestion	: no emergency care anticipated, since product is a gas under	
		normal conditions.	
4.5	Immediate	: severe inhalation/over exposure may sensitise the heart to	
	medical	catecholamine-induced arrhythmias. Do NOT administer	
	advice	catecholamines to an over-exposed person.	

V	FIRE FIGHTING MEASURES	
5.1	Special fire/explosion hazard	: can form explosive mixtures with air.
5.2	Products of combustion	: oxides of carbon
5.3	Fire fighting procedures/extinguishing media	: dry powder only

VI	ACCIDENTAL RELEASE MEASURES		
6.1	Personal protection	: avoid contact with liquid and vapour.	
6.2	Environmental precautions	: extinguish all naked flames and sources of	
		ignition; disperse vapour.	
6.3	Methods of cleaning up	: disperse vapour with water spray.	

VII	HANDLING AND STORAGE		
7.1	Precautions during handling	: do not use in the vicinity of naked flames and sources of heat.	
7.2 7.3	Precautions during storage Packing materials	: store away from sources of heat and ignition. : aerosol containers	

VIII	EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1	Special protective measures	: use in well ventilated areas
	Respiratory	: avoid exposure to vapour.
	Hand	: avoid contact
	Eye	: avoid contact
	Skin	: avoid contact
8.2	Exposure limits	: long term (8hr TWA) : 600 ppm
		short term (10 mins) : 750 ppm

PHYSICAL AND CHEMICAL PROPERTIES IX 9.1 : colourless liquefied gas Physical state 9.2 Odour : odourless 9.3 Temperature characteristics : boiling point : -11°C 9.4 : not applicable рH 9.5 Solubility - in water : insoluble 9.6 : 3.18 - 3.46 bar vapour pressure (25°C) 9.7 : 0.552 Density Flammability - liquid 9.8 (25°C) - vapour (15°C) - flash point : -74 to -104°C - auto ignition temperature : 405 - 550°C - flammable limits : 1.8 - 10.0% in air

X STABILITY AND REACTIVITY

10.1 Stability : can form explosive mixtures with air
10.2 Conditions/materials to avoid : strong oxidising agents, peroxide, plastics, chlorine dioxide, and concentrated nitric acid.

10.3 Hazardous decomposition reducts : normally carbon dioxide (carbon monoxide if deficiency in oxygen supply)

XI TOXICOLOGICAL INFORMATION 11.1 Toxicological data 11.2 Effects of exposure - eyes : not applicable, product is a gas : not applicable, product is a gas - skin - inhalation : not determined - ingestion : not applicable, product is a gas - carcinogenicity : no known behaviour - mutagenicity : no known behaviour - tetratogenicity : no known behaviour

XIIBIOLOGICAL INFORMATION12.1Mobility: evaporates into atmosphere12.2Persistence and degradability: degrades under atmospheric conditions12.3Ecotoxicity: no known ecological damage caused by this product.

XIII DISPOSAL CONSIDERATIONS

13.1 Disposal of product : do not discharge into areas where there is a risk of forming an explosive mixture.

13.2 Disposal of packaging : as with other aerosol packaging

XIV TRANSPORT INFORMATION

14.1 UN No : 1950

14.2 UK road

- Hazchem code : 2WE

- Classification : flammable gas

14.3 RID-ADR

- Class : 2

XV REGULATORY INFORMATION

15.1 Chemicals (Hazard Information and Packaging) Regulations 1994:

- Risk phrases : R13 Extremely flammable liquified gas

- Safety phrases : S16 Keep away from sources of ignition - no

smoking

S9 Keep in a well ventilated place

- Classification/symbol : Extremely flammable/F+

15.2 Exposure limits : long term (8hr TWA) : 600 ppm

short term (10 mins) : 750 ppm

15.3 National legislation : The Chemicals (Hazard Information & Packing)

Regulations 1994

The Control of Substances Hazardous to Health

Regulations

The Health and Safety at Work Act

XVI OTHER INFORMATION

16.1 Recommended uses : refills for cigarette lighters

16.2 Sources of data used to : suppliers' data sheets

compile data sheet

16.3 Sections revised : 1.2; 9.7; 9.8.

This information is given in good faith and is based on information and tests believed to be reliable. The suitability of this product for any particular use is not suggested or implied. This document is not a specification and properties shown are not guaranteed.

SDS 96/40, Revision 2, Page 4 of 4