SAFETY DATA SHEET

CASCOSPACK S



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation

Product name : CASCOSPACK S

: Wall levelling compound **Product type**

Product no.

Company/undertaking identification

Supplier/Manufacturer : Akzo Nobel Bygglim AB

P.O. Box 11550

100 61 Stockholm, Sweden Tel. +00468 7434000 Fax. +00468 6436370

e-mail address of person

: miljo_bygglim@akzonobel.com

responsible for this SDS

: CALL 020-99 60 00

Emergency telephone number (with hours of operation)

(Kemiakuten, open 24 hours 7 days a week)

2. HAZARDS IDENTIFICATION

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

See section 11 for more detailed information on health effects and symptoms.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name	CAS number	EC number	%	Classification	
Calcium-magnesium-carbonate Vinyl acetate, vinyl ester, ethylene copolymer 1,2-Benzisothiazol-3(2H)-one	16389-88-1 24937-78-8 2634-33-5	240-440-2 220-120-9	50 - 75 2 - 10 <0.025	Xi; R41, R38 R43 N; R50	[1]
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) See section 16 for the full text of the R-phrases declared above	55965-84-9		<0.0015		[1]

^[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in section 8.

FIRST AID MEASURES

First aid measures

Ingestion : If swallowed in large amounts, seek medical advice.

Skin contact : Wash with plenty of soap and water.

Eye contact : Check for and remove any contact lenses. Rinse with water.

General information In all cases of doubt, or when symptoms persist, seek medical attention.

See section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of 2010-11-25. 1/3

revision

^[2] Substance with a workplace exposure limit

CASCOSPACK S

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable : Use dry chemical, CO₂, water spray (fog) or foam.

Not suitable : Do not use water jet.

Hazardous thermal decomposition products : Decomposition products may include the following materials:

carbon dioxide carbon monoxide oxides of nitrogen

ACCIDENTAL RELEASE MEASURES 6.

Personal precautions

: Put on appropriate personal protective equipment (see section 8).

Methods for cleaning up **Small spill**

: Dilute with water and mop up or absorb with an inert dry material and place in an

appropriate waste disposal container.

Large spill : Prevent entry into sewers, water courses, basements or confined areas. Absorb with

an inert material and transfer the spilled material and absorbent to an appropriate

waste disposal container.

Note: see section 8 for personal protective equipment and section 13 for waste disposal.

HANDLING AND STORAGE

Handling : Put on appropriate personal protective equipment (see section 8). When handling the

product good industrial hygienic standard should always be maintained.

: Keep container in a cool, well-ventilated area. Keep container tightly closed and **Storage**

sealed until ready for use.

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Exposure limit values

Ingredient name Occupational exposure limits

No exposure limit value known.

Exposure controls

General : Design the work so direct contact is avoided.

Depending on handled quantities and working conditions, use following

recommended protective equipment.

: For prolonged or repeated handling, use the following type of gloves: Nitrile gloves or Hand protection

other recommended gloves from the supplier.

: Use safety eyewear designed to protect against splash of liquids. Eye protection

Skin protection : Comprehensive clothes

PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Solid. Color : White. **Density** : 1,77 g/cm³

10. STABILITY AND REACTIVITY

Chemical stability : The product is stable.

11. TOXICOLOGICAL INFORMATION

Other information The product is not classified as harmful.

> There is no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly.

Date of issue/Date of 2/3 2010-11-25.

revision

12. ECOLOGICAL INFORMATION

Environmental effects Other information

- : No known significant effects or critical hazards.
- : There is no data available on the preparation itself. Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

13. DISPOSAL CONSIDERATIONS

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal should be in accordance with applicable regional, national and local laws and regulations. Empty packages can be left for recycling. For Sweden: Akzo Nobel Bygglim AB are connected to the REPA-system (org.nr. 556026-1876). Please contact local authority for information advise on waste.

European waste catalogue

: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

(EWC)

Hazardous waste : No.

14. TRANSPORT INFORMATION

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Additional information:
ADR/RID Class	Not regulated.	-	-	-	-
IMDG Class	Not regulated.	-	-	-	-
IATA Class	Not regulated.	-	-	-	-

PG*: Packing group

15. REGULATORY INFORMATION

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases: This product is not classified according to EU legislation.

Safety phrases : S2- Keep out of the reach of children.

16. OTHER INFORMATION

Full text of R-phrases referred to in sections 2 and

: R22- Harmful if swallowed.

R23/24/25- Toxic by inhalation, in contact with skin and if swallowed.

R34- Causes burns. R38- Irritating to skin.

R41- Risk of serious damage to eyes. R43- May cause sensitization by skin contact.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications referred to in sections 2 and

3 - Sweden

3 - Sweden

: T=Toxic Xn=Harmful Xi=Irritating

N=Dangerous for the environment

C=Corrosive

History

Date of printing : 2010-11-25.

Date of issue/ Date of : 2010-11-25.

revision

Date of previous issue : No previous validation.

Version : 1

Prepared by : Tornqvist Madelene

Indicates information that has changed from previously issued version.

Date of issue/Date of : 2010-11-25. 3/3 revision