

669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	:	669231 Duck Liquid Rimblock- Cool Mist
1.2 Relevant identified uses of the Use of the Use of the Substance/Mixture		ostance or mixture and uses advised against Washing and cleaning products (including solvent based products)
Uses advised against	:	None identified
1.3 Details of the supplier of the safety data sheet	:	SC Johnson Ltd. Frimley Green Camberley GU16 7AJ
Telephone	:	+441276852000
E-mail address	:	ask.uk@scj.com
1.4 Emergency telephone number	:	Consumer Care Center: UK - 0800 353 353 Ireland - 1800 409 176

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EU) 1272/2008 with the correlation table 67/548/EEC or 1999/45/EC (Annex VII of CLP)

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 2	Causes skin irritation.
Serious eye damage	Category 1	Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard symbols





669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Signal word Danger

Dunger

Contains

Alcohols, C10-16, ethoxylated, sulfates, sodium salts Alcohols, C13-15-branched and linear, ethoxylated EO=8

Hazard statements

(H315) Causes skin irritation.(H318) Causes serious eye damage.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P310) Immediately call a POISON CENTER or doctor/ physician.
(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
(P301 + P312) IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
(P280) Wear eye protection.
(P264) Wash hands thoroughly after handling.

Additional Labelling

For use only in toilet bowls. Do not mix with bleach or any other household cleaners.

Contains

citronellol octabenzone 4-tert-butylcyclohexyl acetate nopyl acetate May produce an allergic reaction.

Detergents regulations

Contains

> = 5% and < 15% non-ionic surfactants, > = 15% and < 30% Anionic surfactants, perfume , LINALOOL, CITRONELLOL, GERANIOL, COUMARIN, Hydroxyisohexyl 3-cyclohexene carboxaldehyde, 2-BROMO-2-NITROPROPANE-1,3-DIOL

2.3 Other hazards

: None identified

:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016

Hazardous components

4-tert-butylcyclohexyl acetate

32210-23-4 250-954-9

Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 300000000000016571.007

Chemical Name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2 500-223-8	-	Skin irritation Category 2 H315 Serious eye damage Category 1 H318 Chronic aquatic toxicity Category 3 H412	>= 10.00 - < 20.00
Alcohols, C13-15-branched and linear, ethoxylated EO=8	157627-86-6 500-337-8	02-2119548515-35- 0000	Chronic aquatic toxicity Category 3 H412 Serious eye damage Category 1 H318 Acute toxicity Category 4 H302	>= 5.00 - < 10.00
oxydipropanol	25265-71-8 246-770-3	01-2119456811-38		>= 1.00 - < 5.00
citronellol	106-22-9 203-375-0	01-2119453995-23	Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2A H319 Skin sensitisation Category 1 H317	>= 0.10 - < 0.50
octabenzone	1843-05-6 217-421-2	01-2119557833-30	Chronic aquatic toxicity Category 4 H413 Skin sensitisation	>= 0.10 - < 0.50

01-2119976286-24

Category 1 H317

Skin sensitisation

Category 1B

>= 0.10 - <

0.50



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

			H317	
nopyl acetate	128-51-8 204-891-9	-	Chronic aquatic toxicity Category 2 H411 Eye irritation Category 2A H319 Skin sensitisation Category 1B H317	>= 0.10 - < 0.50
pronopol	52-51-7 200-143-0	01-2119980938-15	Acute toxicityCategory 4H302Acute toxicityCategory 4H312Skin irritationCategory 2H315Serious eye damageCategory 1H318Specific target organtoxicity - single exposureCategory 3H335Acute aquatic toxicityCategory 1H400Chronic aquatic toxicityCategory 2H411	>= 0.00 - < 0.10

WEL substance				
bornan-2-one	76-22-2 200-945-0	01-2119966156-31	Specific target organ toxicity - single exposure Category 2 H371 Acute toxicity Category 4 H302 Acute toxicity Category 4	>= 0.10 - < 0.50



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

		H332	
--	--	------	--

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid mea	sures
Inhalation	: Move to fresh air.
	If breathing is affected, get medical attention.
Skin contact	: Take off all contaminated clothing immediately.
	Wash off with soap and plenty of water.
	Get medical attention if irritation develops and persists.
	Wash contaminated clothing before re-use.
Eye contact	: Remove contact lenses.
	Protect unharmed eye.
	Keep eye wide open while rinsing.
	Flush immediately with plenty of water for at least 15 to 20 minutes.
	Get medical attention immediately.
Ingestion	: If swallowed, do not induce vomiting: seek medical advice immediately and
	show this container or label.
	Rinse mouth with water.
4.2 Most important symptoms	and effects, both acute and delayed
Eyes	: Causes serious eye damage.
-	No adverse effects expected when used as directed.
	Man and all and all a second and
Skin effect	: May cause allergic skin reaction.
	Causes skin irritation.
	No adverse effects expected when used as directed.
Inhalation	: Do not mix with bleach or any other household cleaners.
	May cause allergic respiratory reaction.
	No adverse effects expected when used as directed.
Induction	May cause irritation to mouth threat and stomach



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable	:	None identified
5.2 Special hazards arising from the substance or mixture	:	In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.
5.3 Advice for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves. Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
6.2 Environmental precautions	:	Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Use appropriate containment to avoid environmental contamination.
6.3 Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean residue from spill site. Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	:	For personal protection see section 8. For disposal considerations see section 13.



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling	 For personal protection see section 8. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Wear personal protective equipment. Normal measures for preventive fire protection.
7.2 Conditions for safe storage, : including any incompatibilities	Do not freeze. Keep out of the reach of children. Store away from food, beverages and pet food. No decomposition if stored and applied as directed.
7.3 Specific end use(s) :	Consumer uses: Private households (= general public = consumers) Washing and cleaning products (including solvent based products)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
bornan-2-one	76-22-2	19 mg/m3	3 ppm		UK_WELSTEL
		13 mg/m3	2 ppm		UK_WELTWAS

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

:	In the case of vapour formation use a respirator with an approved filter.
:	Wear suitable gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.
:	Safety glasses
:	Wash contaminated clothing before re-use.
:	Wash hands before breaks and at the end of workday.
	: : : : : : : : : : : : : : : : : : : :



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Environmental Exposure Controls : Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties Appearance : liquid Colour : Aqua Odour : Marine/Ozone **Odour Threshold** : Test not applicable for this product type рΗ : 5.1 Melting point/freezing point : Test not applicable for this product type Initial boiling point and boiling range : Test not applicable for this product type Flash point : >100 °C Evaporation rate : Test not applicable for this product type Flammability (solid, gas) The product is not flammable. : Test not applicable for this product type Upper/lower flammability or : explosive limits Test not applicable for this product type Vapour pressure : Vapour density Test not applicable for this product type : 1.0185 g/cm3 Relative density : Solubility(ies) completely soluble : Partition coefficient: n-Test not applicable for this product type : octanol/water Auto-ignition temperature Test not applicable for this product type : Decomposition temperature Test not applicable for this product type : Viscosity, dynamic : 2,000 - 2,500 mPa.s 8/18



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

		at 20 °C	
Viscosity, kinematic	:	2,060.8 mm2/s at 20 °C	
Explosive properties	:	Test not applicable for this product type	
Oxidizing properties	:	Test not applicable for this product type	
Other information	:	None identified	:

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	: Do not mix with bleach or any other household cleaners.
10.2 Chemical stability	: Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	: Do not mix with bleach or any other household cleaners.
10.4 Conditions to avoid	: Extremes of temperature and direct sunlight.
10.5 Incompatible materials	: Do not mix with bleach or any other household cleaners.
10.6 Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and mist) Calculated		> 20 mg/l	



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

Acute oral toxicity

Name	Method	Species	Dose
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	LD50	Rat	> 2,000 mg/kg
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available		
oxydipropanol	LD50	Rat	> 5 g/kg
citronellol	LD50	Rat	3,450 mg/kg
octabenzone	LD50	Rat	>= 10,000 mg/kg
4-tert-butylcyclohexyl acetate	LD50	Rat	3,370 mg/kg
nopyl acetate	LD50 Measured	Rat	3,000 mg/kg
bronopol	LD50 Measured	Rat	5,000 mg/kg

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available			
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available			
oxydipropanol	LC50 (dust and mist) Measured	Rat	> 2.34 mg/l	4 h
citronellol	No data available			



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

octabenzone	LC50 (vapour) estimated		> 5 mg/l	
4-tert-butylcyclohexyl acetate	No data available			
nopyl acetate	No data available			
bronopol	LC50 (vapour)	Rat	0.038 mg/l	4 h

Acute dermal toxicity

Name	Method	Species	Dose
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available		
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available		
oxydipropanol	LD50	Rabbit	> 5,010 mg/kg
citronellol	LD50 Measured	Rabbit	2,650 mg/kg
octabenzone	LD50	Rabbit	>= 10,000 mg/kg
4-tert-butylcyclohexyl acetate	LD50	Rabbit	> 4,680 mg/kg
nopyl acetate	No data available		
bronopol	LD50 Measured	Rat	> 2,000 mg/kg

Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/eye irritation	:	Causes serious eye damage.
Skin sensitisation	:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	:	Based on available data, the classification criteria are not met.



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxicity for reproduction	: Based on available data, the classification criteria are not met.
STOT - single exposure	: Based on available data, the classification criteria are not met.
STOT - repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

Components	End point	Species	Value	Exposure time
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available	Fish	7.1 mg/l	96 h
	NOEC	Fish	1 mg/l	45 d
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LC50	Oncorhynchus mykiss (rainbow trout)	> 1 - < 10 mg/l	48 h
oxydipropanol	LC50 static test Read-across (Analogy)	Pimephales promelas (fathead minnow)	46,500 mg/l	96 h
citronellol	LC50 static test	Leuciscus idus (Golden orfe)	14.66 mg/l	96 h
octabenzone	LC50 static test	Danio rerio (zebra fish)	> 100 mg/l	96 h
4-tert-butylcyclohexyl acetate	LC50 flow-through test	Pimephales promelas (fathead minnow)	6.5 mg/l	96 h
nopyl acetate	No data available			



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

bronopol	LC50 flow-through test	Lepomis macrochirus	35.7 mg/l	96 h
bornan-2-one	LC50	Danio rerio (zebra fish)	> 35 - < 50 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time	
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	EC50	Daphnia (water flea)	7.4 mg/l	48 h	
	NOEC	Daphnia	1.2 mg/l	21 d	
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Daphnia magna (Water flea)	> 1 - < 10 mg/l	48 h	
oxydipropanol	EC50 static test	Daphnia magna (Water flea)	> 100 mg/l	48 h	
citronellol	EC50 static test	Daphnia magna (Water flea)	17.48 mg/l	48 h	
octabenzone	EC50 Measured	Daphnia magna (Water flea)	52 mg/l	24 h	
4-tert-butylcyclohexyl acetate	EC50 static test	Daphnia magna (Water flea)	5.3 mg/l	48 h	
nopyl acetate	EC50 Immobilization	Daphnia magna (Water flea)	14 mg/l	48 h	
bronopol	EC50 static test	Daphnia magna (Water flea)	1.4 mg/l	48 h	
	NOEC flow-through test	Daphnia	0.27 mg/l	21 d	
bornan-2-one	EC50 QSAR	Daphnia magna (Water flea)	9.303 mg/l	48 h	

Toxicity to aquatic plants



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Components	End point	Species	Value	Exposure time 72 h	
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	ErC50	Algae	27.7 mg/l		
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Desmodesmus subspicatus (green algae)	> 1 - < 10 mg/l	72 h	
oxydipropanol	EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	72 h	
citronellol	EC50 static test	Desmodesmus subspicatus (green algae)	2.4 mg/l	72 h	
octabenzone	EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	72 h	
4-tert-butylcyclohexyl acetate	EC50 static test	Desmodesmus subspicatus (green algae)	22 mg/l	72 h	
nopyl acetate	No data available				
bronopol	NOEC static test	Pseudokirchneriella subcapitata (green algae)	0.1 mg/l	72 h	
bornan-2-one	EC50 QSAR	Algae	6.951 mg/l	96 h	

12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	100 %	28 d	Readily biodegradable
Alcohols, C13-15-branched and linear, ethoxylated EO=8	60 %	28 d	Readily biodegradable
oxydipropanol	84.4 %	28 d	Readily biodegradable
citronellol	80 - 90 %	28 d	Readily biodegradable
octabenzone	5 %	28 d	Not readily biodegradable.



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

4-tert-butylcyclohexyl acetate	75 %	28 d	Readily biodegradable
nopyl acetate	0 - 8 %	28 d	Not readily biodegradable.
bronopol	70 - 80 %	28 d	Readily biodegradable
bornan-2-one	77 %	28 d	Readily biodegradable

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available	No data available
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available	No data available
oxydipropanol	0.3 - 1.4	-0.462
citronellol	82.59 QSAR	3.41 Measured
octabenzone	89 - 190 Measured	7.6 Calculated
4-tert-butylcyclohexyl acetate	234 - 334.6 QSAR	4.8
nopyl acetate	No data available	4.7
bronopol	3.19 QSAR	0.22
bornan-2-one	No data available	2.414 Measured

12.4 Mobility in soil

Component	End point	Value
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	No data available	
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available	
oxydipropanol	No data available	
citronellol	log Koc	1.85 Calculated
octabenzone	Кос	63750 Calculated
4-tert-butylcyclohexyl acetate	Кос	> 3243 - < 4603 Calculated
nopyl acetate	No data available	
	1=/10	



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

bronopol	Кос	36.8 - 1486 Measured
bornan-2-one	Кос	2068

12.5 Results of PBT and vPvB assessment

Results
Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS		
13.1 Waste treatment methods		
Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.
Packaging	:	Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

16/18



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport Not classified as dangerous in the meaning of transport regulations.

Air transport Not classified as dangerous in the meaning of transport regulations.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

EC - European Community

- EEC European Economic Community
- CLP Classification Labelling & Packaging
- EN European Standard or European Norm
- PBT Persistent, Bioaccumulative & Toxic
- vPvB very persistent, very bioaccumulative

UN – United Nations

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H302

Harmful if swallowed.

17/18



669231 Duck Liquid Rimblock- Cool Mist

Version 2.0 Revision Date 10.11.2016 Print Date 02.10.2017 Specification Number: 350000022664 SITE FORM Number: 3000000000000016571.007

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.