

# SAFETY DATA SHEET

In accordance with 1907/2006 annex II 2015/830 and 1272/2008

(All references to EU regulations and directives are abbreviated into only the numeric term)

Issued 2018-11-08

Replaces issued SDS 2018-01-17

Version number 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name Clean Screens: Cleansing wet wipes for screens

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Wet wipe for cleaning of computer screen, keyboard etc.

### 1.3. Details of the supplier of the safety data sheet

Company Clean Company Stockholm AB

Birger Jarlsgatan 18

114 34 Stockholm

Sweden

Telephone 0046 8 545 810 80

E-mail -

### 1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Flammable liquids (Category 3), H226

Irritates eyes (Category 2), H319

### 2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazard statements

H226

Flammable liquid and vapour

H319

Causes serious eye irritation

Precautionary statements

P102

Keep out of reach of children

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313

If eye irritation persists: Get medical advice/attention

### Supplemental hazard information

Contains: ETHANOL

### 2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
<b>ETHANOL</b>		
CAS No: 64-17-5 EC No: 200-578-6 Index No: 603-002-00-5 REACH: 01-2119457610-43	Flam Liq 2, Eye Irrit 2; H225, H319	30 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

Contents according to 648/2004.

Preservation: 1,3-bis(hydroxymethyl)-5,5-dime thylimidazolidine-2,4-dione

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Generally

In case of concern, or if symptoms occur, call a doctor/physician.

#### Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

#### Upon eye contact

Remove contact lenses immediately if possible.

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor.

#### Upon skin contact

Normal washing of the skin is considered sufficient; If nevertheless symptoms do occur, contact a physician.

#### Upon ingestion

Rinse nose, mouth and throat with water.

Get medical attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Upon eye contact

Serious eye irritation may occur.

#### Upon skin contact

Prolonged contact may cause skin irritation.

#### Upon ingestion

Ingestion may cause discomfort or reduced general condition.

Intoxication.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

#### Recommended extinguishing agents

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

#### Unsuitable extinguishing agents

May not be extinguished with water dispersed under high pressure.

### 5.2. Special hazards arising from the substance or mixture

In case of fire gases detrimental to health (carbon monoxide and carbon dioxide) may form.

### 5.3. Advice for fire-fighters

Protective measures should be taken regarding other material at the site of the fire.

In case of fire use a respirator mask.

Wear full protective clothing.

Cool closed containers that were exposed to fire with water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Switch off equipment which has an exposed flame, glows, or has a heat source of some other kind.

Vacate the area and ventilate the fumes.

Avoid inhalation and exposure to skin and eyes.

Ensure good ventilation.

Use masks with fresh air when oxygen content is low or unknown.

### 6.2. Environmental precautions

Avoid emissions into soil, water or air.

### 6.3. Methods and material for containment and cleaning up

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.

Residues left behind after cleaning shall be treated as hazardous waste. For further information, contact the local authority sanitisation works. Present this safety data sheet.

Ensure good ventilation after sanitation.

### 6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Store this product separately from food items and keep it out of the reach of children and pets.

Do not eat, drink or smoke in premises where this product is handled.

Do not inhale the fumes and avoid exposure to skin, eyes and clothing.

Wash your hands after using the product.

### 7.2. Conditions for safe storage, including any incompatibilities

This product should be stored well out of reach of young children and kept safely apart from products intended for consumption.

The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.

Keep well closed.

Store in dry and cool area.

### 7.3. Specific end uses

See identified uses in Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National limit values

All ingredients (cf. Section 3) lack occupational exposure limit values.

**DNEL**

**ETHANOL**

	Type of exposure	Route of exposure	Value
Worker	Acute	Inhalation	1900 mg/m <sup>3</sup>
	Local		
Consumer	Chronic	Inhalation	114 mg/m <sup>3</sup>
	Systemic		
Worker	Chronic	Dermal	343 mg/kg
	Systemic		
Worker	Chronic	Inhalation	950 mg/m <sup>3</sup>
	Systemic		
Consumer	Acute	Inhalation	950 mg/m <sup>3</sup>
	Local		
Consumer	Acute	Dermal	950 mg/m <sup>3</sup>
	Local		
Consumer	Chronic	Oral	87 mg/kg
	Systemic		
Consumer	Chronic	Dermal	206 mg/kg

**PNEC****ETHANOL**

Environmental protection target	PNEC value
Fresh water	0.96 mg/l
Freshwater sediments	3.6 mg/kg
Marine water	0.79 mg/l
Marine sediments	2.9 mg/kg
Microorganisms in sewage treatment	580 mg/l
Soil (agricultural)	0.63 mg/kg

**8.2. Exposure controls**

To prevent occupational risks the health hazards for this product or any of the ingredients should be taken into account (see sections 2, 3 and 11), according to EU Directive 89/391 and 98/24 and national jurisdiction for occupational risks.

**8.2.1. Appropriate engineering controls**

Handle in premises with good ventilation.

Eye-rinsing facilities shall be available at the workplace.

**Eye/face protection**

Eye protection should be worn if there is any danger of direct exposure or splashing.

**Skin protection**

Protective gloves are normally not needed due to the properties of this product, but may be necessary for other reasons, e.g. mechanical risks, temperature conditions or microbiological risks.

**Respiratory protection**

Protective breathing equipment should only be required in extreme work-situations. Consult the manufacturer if this is the case.

Gas filter AX is recommended.

**8.2.3. Environmental exposure controls**

Work with the product should take place in such a way that the product does not get into drains, waterways, soil and air.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

a) Appearance	Form: liquid. Colour: colourless.
b) Odour	like alcohol
c) Odour threshold	Not indicated
d) pH	6.5 - 7.5
e) Melting point/freezing point	Not indicated
f) Initial boiling point and boiling range	≈100 °C
g) Flash point	≈29 °C
h) Evaporation rate	>1 (Butyl acetate = 1)
i) Flammability (solid, gas)	Not applicable
j) Upper/lower flammability or explosive limits	Not indicated
k) Vapour pressure	Not indicated
l) Vapour density	Not indicated
m) Relative density	≈1 kg/L
n) Solubility	Solubility in water: Soluble
o) Partition coefficient: n-octanol/water	Not applicable
p) Auto-ignition temperature	Not indicated
q) Decomposition temperature	Not indicated
r) Viscosity	Not indicated
s) Explosive properties	Not applicable
t) Oxidising properties	Not applicable

**9.2. Other information**

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

### 10.2. Chemical stability

The product is stable at normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

### 10.4. Conditions to avoid

Avoid heat, sparks and open flames.

Protect from direct sunlight.

### 10.5. Incompatible materials

Avoid contact with oxidizers.

Avoid contact with acids.

### 10.6. Hazardous decomposition products

When thermal decomposition occurs, the following substances are formed:

Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and harmful and irritating substances.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Not indicated.

### Acute toxicity

The product is not classified as acute toxic.

### ETHANOL

LD50 rabbit 24h: > 20000 mg/kg Dermal

LC50 rat 4h: 124.7 mg/l Inhalation

LD50 rat 10h: 38 mg/liter Inhalation

LD50 rat 10h: 2000 ppm Inhalation

LD50 rat 24h: 7060 mg/kg Orally

### Skin corrosion/irritation

The mixture is judged as a whole and is classified to be neither corrosive nor irritant to skin. Mild irritation may occur on prolonged or repeated exposure.

### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

The product does not contain any known allergens.

### Germ cell mutagenicity

No mutagenic effects have been reported for the substance in this mixture.

### Carcinogenicity

No carcinogenic effects have been reported for the substances in this product.

### Reproductive toxicity

No toxic effects to reproduction have been reported for the substances in this mixture.

### STOT-single exposure

No known hazards for occasional exposure.

### STOT-repeated exposure

No known hazards for repeated exposure.

### Aspiration hazard

The product is not classified as being toxic for aspiration.

## SECTION 12: Ecological information

### 12.1. Toxicity

Prevent release on land, in water and drains.

No ecological damage is known or expected in the event of normal use.

### ETHANOL

LC50 Rainbow trout (*Oncorhynchus mykiss*) 96h: 12 - 16 g/l

LC50 fathead minnow (*Pimephales promelas*) 96h: > 100 mg/l

LC50 Freshwater water flea (*Daphnia magna*) 48h: 12340 mg/l

EC50 Freshwater water flea (*Daphnia magna*) 48h: 9268 - 14221 mg/l

#### **12.2. Persistence and degradability**

There is no information regarding persistence or degradability.

#### **12.3. Bioaccumulative potential**

There is no information regarding bioaccumulation.

#### **12.4. Mobility in soil**

Information about mobility in nature is not available.

#### **12.5. Results of PBT and vPvB assessment**

This product does not contain any substances that are assessed to be a PBT or a vPvB.

#### **12.6. Other adverse effects**

No known effects or hazards.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Waste handling of the product**

Avoid discharge into sewers.

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

Observe local regulations.

##### **Classification according to 2008/98**

Recommended LoW-code: 20 01 29 detergents containing hazardous substances

### **SECTION 14: Transport information**

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

#### **14.1. UN number**

Not classified as dangerous goods

#### **14.2. UN proper shipping name**

Not applicable

#### **14.3. Transport hazard class(es)**

Not applicable

#### **14.4. Packing group**

Not applicable

#### **14.5. Environmental hazards**

Not applicable

#### **14.6. Special precautions for user**

Not applicable

#### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

#### **14.8 Other transport information**

Not applicable

### **SECTION 15: Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Not indicated.

#### **15.2. Chemical safety assessment**

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

## SECTION 16: Other information

### 16a. Indication of where changes have been made to the previous version of the safety data sheet

#### Revisions of this document

Earlier versions

2018-01-17 Changes in section(s) 1.

### 16b. Legend to abbreviations and acronyms used in the safety data sheet

#### Full texts for Hazard Class and Category Code mentioned in section 3

Flam Liq 2 Flammable liquids (Category 2)

Eye Irrit 2 Irritates eyes (Category 2)

#### Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

### 16c. Key literature references and sources for data

#### Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2018-11-08.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

#### Full texts for Regulations mentioned in this Safety Data Sheet

- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- 2015/830 COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- 648/2004 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents
- 2008/98 DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives
- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

### 16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

**16e. List of relevant hazard statements and/or precautionary statements**

**Full texts for hazard statements mentioned in section 3**

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation

**16f. Advice on any training appropriate for workers to ensure protection of human health and the environment**

**Warning for misuse**

This product can cause harm if used improperly. The manufacturer, the distributor or the supplier are not responsible for adverse effects if the product is not handled in accordance with its intended use.

**Other relevant information**

Not indicated

**Editorial information**



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, [www.kemrisk.se](http://www.kemrisk.se)